

MAY, 1959



AMATEUR RADIO AMATEUR RADIO AMATEUR RADIO AMATEUR RADIO

8 SEPARATE CASH PRIZES
TO BE WON in . . .

MAGRATHS Hi-Fi-manship COMPETITION

ENTER NOW — DON'T DELAY!

ENTRIES CLOSE MAY 12, 1959—Judging commences May 26

OPEN TO ALL HOME-BUILDERS OF AMPLIFIERS!

JUNIOR CLASS (for entrants under 18 years of age on 12th June, 1959). Entrance Fee: 5/-; £10 CASH PRIZE to WINNER in each section.

Section A: For Basic Amplifier incl. pre-amp. up to 5 watts.

Section B: For Basic Amplifier incl. pre-amp.: 6-15 watts.

Section C: For Basic Amplifier incl. pre-amp.: unlimited.

Section D: For Stereophonic Amplifier incl. pre-amp.

OPEN CLASS (open to all home-builders regardless of experience or vocation). Entrance Fee: 10/-; £20 CASH PRIZE to WINNER in each section.

Section A: For Basic Amplifier incl. pre-amp. up to 5 watts.

Section B: For Basic Amplifier incl. pre-amp.: 6-15 watts.

Section C: For Basic Amplifier incl. pre-amp.: unlimited.

Section D: For Stereophonic Amplifier incl. pre-amp.

CONDITIONS: Amplifier and pre-amp. must have been built by competitor either from circuits of his own, or published circuits, or from circuits and basic component kits put out by manufacturers. Winning entries announced and displayed at HI-FI FESTIVAL, Melbourne Town Hall, June 12.

IN AID OF ALFRED HOSPITAL APPEAL! Entry Forms available at:

● **MAGRATHS RADIO PARTS CENTRE—FB 3731**

208 LT. LONSDALE ST., MELB., between Swanston and Elizabeth Streets

AMATEUR RADIO

1/6

"HAM" RADIO SUPPLIERS

(KEN MILLBOURN, PROP.)

5A MELVILLE STREET, HAWTHORN, VICTORIA

North Balwyn Tram Passes Corner, near Vogue Theatre.

Phone: WM 6465

Money Orders and Postal Notes payable North Hawthorn P.O. Packing Charge on all goods over 10 lbs. in weight, 5/- extra.

NOTE THESE VALVE PRICES

Look at these Bargain Priced NEW VALVES—

1H6	3/6	6F6G	10/-	12J5	7/6	956	5/-
1K4	5/-	6H6	2/-	12K8	10/-	958A	2/6
1K5	2/6	6J5	7/6	12SA7	10/-	1626	5/-
1K7	5/-	6J5GT	7/6	12SC7	2/6	1629	5/-
1M5	5/-	6J6	12/6	12SJ7	10/-	1851	5/-
1P5	5/-	6K6G	7/6	12SK7	5/-	2051	7/6
1Q5	5/-	6K7G	5/-	12SN7	12/6	8003	10/-
1R5	10/-	6L7	5/-	12SQ7	2/6	9001	10/-
1S5	10/-	6N7	10/-	12SQ7GT	2/6	9006	5/-
1T5	7/6	6N8	15/-	12SR7	5/-	100TH	35/-
2A5	10/-	6R7	5/-	25Z5	5/-	AV11	2/6
2X2	7/6	6SC7	7/6	42	12/6	CV6	2/-
3S4	7/6	6SF7	12/6	45	5/-	ECH3	5/-
5U4G	12/6	6SG7	12/6	75	2/6	EK32	10/-
5V4G	15/11	6SJ7GT	12/6	78	2/-	GL446A	12/6
6A3	7/6	6SL7	12/6	302	5/-	VR90	15/-
6AB7	7/6	6SN7GT	12/6	304H	£3	VR100	5/-
6AG5	10/-	6SH7G	4/-	71A	12/6	VR101	5/-
6AG7	12/6	6X5	10/-	726A	7/6	VR102	5/-
6AJ5	7/6	7A6	5/-	815	35/-	VR103	5/-
6ASG	12/6	7A8	3/6	820B	£5	VR136/RL7	5/-
6B4	12/6	7C5	5/-	830B	7/6		
6B7	10/-	7E6	3/6	833A	£15	VT50	1/6
6C5	5/-	7W7	2/6	834	7/6	VT52	10/-
6C6	5/-	12A6	10/-	866/DQ2	£1	VT39	2/6
6C8	5/-	12AH7	7/6	884	10/-		
6D6	5/-	12H6	7/6	885	7/6	X61M	12/6

1C7	3/- each or 3 for £1	956	7/6 each or 3 for £1
2X2	7/6 each or 3 for £1	12SF7	10/- each or 3 for £1
6AC7	2/11 each or 8 for £1	1625	5/- each or 5 for £1
6C4	5/- each, or 5 for £1	CV66 (RL37)	5/- ea., 5 for £1
6H6Gs	£1 a dozen	EA50	2/6 each or 10 for £1
6K7G	5/- each or 5 for £1	EF50	3/6 each or 7 for £1
6SH7	5/- each or 5 for £1	EF50	valve sockets, 3/6 ea.
6SH7GT	4/- each or 6 for £1	RK34	5/- each or 5 for £1
7C7	2/6 each or 10 for £1	VT501	7/6 each or 3 for £1
7F7	5/- each or 5 for £1	VT127	£1 a dozen
954, 955	5/- ea. or 5 for £1		

New Valves—VR53/EF39, direct replacement for 6U7. High gain, low noise. 5/- each or five for £1.

VR55/EB33 D.D. Triode, 6.3v. heater. American octal base. Trade price 22/3. Our price: 5/- each or 5 for £1.

3AP1 Cathode Ray Tube	27/6	30/-
5BP1 5 inch Cathode Ray Tube	27/6	30/-
7BP7 7" Cathode Ray Tube	10/-	
NC13A 7 inch Cathode Ray Tube (similar VCR97)	30/-	

THIS MONTH'S SPECIALS

CRYSTALS in DC11 Holders. All £1 each—			
5170 Kc.	5980 Kc.	7962.857 Kc.	8425.714 Kc.
5410 Kc.	6350 Kc.	7997 Kc.	8460 Kc.
5700 Kc.	6420 Kc.	8065.714 Kc.	8525 Kc.
5710 Kc.	6423.333 Kc.	8161.538 Kc.	8562.857 Kc.
5810 Kc.	6450 Kc.	8360 Kc.	8645.45 Kc.
5910 Kc.	6960 Kc.	8731.428 Kc.	8751.428 Kc.
5950 Kc.			

Crystals: 1898.75 Kc., 1986.25 Kc., and 1985 Kc., £2 each. 3.5 Mc. Marker Crystals, miniature, with holder £2/10/0

Electrolytic Condensers: 16 uF. 525v.w. (pigtail type), 2 uF. 525v. (pigtail type), 3/- each or £2/10/0 per carton of 20. Meters—0-0.35 amp. R.F., FS6 and 101 type 10/-

BC455 Command Receiver, 6-9.1 Mc., air tested, with valves £5 APN1 Receivers, complete with valves £7/10/0

As used in A.C. Power Supply for No. 22 Set. (see page 3).

A.W.A. Transmitters, Mobile, freq. 33 Mc. Contains four type

6V6s, one 807 final, 6v. vibrator supply. Modulated, £7/10/0

108 Mk. III. Portable Transceivers. Complete with Valves,

Headphones, Mike. Freq. range: 7-9 Mc. Bargain £7/10/0

128 Portable Transceivers, freq. range: 2-4.5 Mc. Nine minia-

ture valves (1.4v. series), 0-500 microamp. meter. Less

Crystals. Bargain £7/7/6

3BZ Transmitter, complete with valves, 12v. operation £15

AT5 Transmitters, as new, with valves & dust covers, £8/17/6

AR3/AT5 Connecting Cables 10/- each

SCR522 Transceiver, freq. range: 100-150 Mc. Complete with

valves including 832s, as they come, clean condition, £10.

SCR522 Signal Generator, freq. cov. 100-150 Mc. Calibrated

dial. Complete with valves £6

SCR522 28 volt Genemotor Power Supply 30/-

SCR522 Modulation Transformers 30/-

SCR522 Driver Transformers 10/-

A.W.A. V.h.f. Mobile Transmitter, f.m. Freq. range 156-172 Mc.

Crystal controlled, complete with min. valves and two 2E26

and vibrator supply. A gift at £12/10/0

Type "S" Power Supply, 230v. A.C. Good condition £25

AT21 Power Supply, 230 volt A.C. Good condition £25

AR3 Cable, 72 ohm, 1" diam. in 10-yd. lengths £1. 2/- 3/-

Co-ax Cable, 98 ohms, in 100 yard rolls. £7/10/0 per 100

yard roll, or 1/9 yard.

Co-ax Cable, 100 ohm, any length 2/- yard

American Ampenol Co-ax Sockets (chassis type) 2/6

Pi Type Co-ax Plugs and Sockets 4/- pair

Command Receiver Flexible Drives, 12 ft. long 10/-

Relays—522 type, 5000 ohm £1

Relays—522 type, aerial change-over £1

U.S.A. I.F.F. Units, complete with Valves and Genemotor,

£5/17/6. Less Genemotor, £4/17/6.

Car Radio Suppressors: Spark Plug type, 2/- each; Distribu-

tor type, 2/- each, or 12 for £1.

APX1 24v. Shunt Motors, ideal for Small Beams. Works

on A.C. new £1/10/0

APX1 Chassis, top deck, containing 28 Miniature Ceramic

7-pin Valve Sockets, Condensers, Resistors, etc., etc. A

good buy at £1/15/0; postage 5/- extra

1625 Ceramic 7-pin Sockets 3/6; 807 Ceramic 5-pin Sockets 2/6

Local Valve Sockets 1/- each

Valve Sockets, Acorn Ceramic 3/6 each

ALL Q-PLUS T.V. CONSTRUCTORS PARTS READILY

AVAILABLE

Pets, small wire wound: 25, 50, 100, 250 and 500 ohms, linear

3/6 each 6d. each

3" Coil Formers, Plastic 1/-

Midget Ceramic Trimmers, 3 to 55 pF. 1/-

A.W.A. B.F.O. Type 4077, 10 cycles to 13 Kc. A.C. operated, £25

Condition as new £25

A.W.A. Valve Voltmeter, 1.5v. to 150v. A.C. operated, £15

English Filter Chokes, small type, 40 Ma., 100 ohm resist, 3/6

Shielded Wire, single, American 1/6 yard

Power Transformer, small, 265v. aside 60 Ma., 6.3v. 2.8 amp.;

200-225-250v. primary. Brand new 25/-

American 4 mfd. 1000v. Condensers 7/6 each

Miniature Variable Condensers, screwdriver adjustment, sil-

ver plated. Sizes available: 25 pF., 55 pF., 80 pF., 105 pF.,

or 110 pF. New condition, 7/6 each or three for £1.

Two-Gang Condensers, Broadcast 12/6

Three-Gang Condensers, AR3 High Frequency Type 13/-

Four-Gang Condensers, approx. 150 pF. per section 13/-

1958 Call Books now in stock, 5/- . Also Log Books, 4/6.

AMATEUR RADIO

JOURNAL OF THE WIRELESS INSTITUTE OF AUSTRALIA

EDITOR:

R. W. HIGGINBOTHAM, VK3RN.

TECHNICAL EDITOR:

K. E. PINCOTT, VK3AFJ.

PUBLICATIONS COMMITTEE:

G. W. BATY, VK3AOM.

G. BILLS-THOMPSON, VK3AHN.

S. T. CLARK, VK3ASC.

J. C. DUNCAN, VK3VZ.

R. S. FISHER, VK3OM.

V. M. JONES, VK3YE.

J. G. MARSLAND, VK3NY.

ADVERTISING REPRESENTATIVE:BEATRICE TOUZEAU,
96 Collins St., Melbourne, C.1.
Telephone: MF 4505.**PRINTERS:**"RICHMOND CHRONICLE,"
Shakespeare St., Richmond, E.1.
Telephone: JB 2419.MSS. and Magazine Correspondence
should be forwarded to the Editor,
P.O. BOX 36,EAST MELBOURNE, C.2, VIC.,
on or before the 8th of each month.Subscription rate in Australia is
18/- per annum, in advance (post
paid) and A£1/1/- in all other
countries.Wireless Institute of Australia
(Victorian Division) Rooms' Phone
Number is JA 3535.

WI BROADCASTS

All Amateurs are urged to keep these
frequencies clear during, and for a period
of 15 minutes after, the official Broadcasts.VK3WI: Sundays, 1100 hours EST, simultane-
ously on 3575 Kc., 7146 Kc., and 146.0
Mc. Intrastate call-backs taken on 7050
Kc. only at present.VK3WI: Sundays, 1130 hours EST, simultane-
ously on 3575 and 7146 Kc., 51.016 and
146.25 Mc. Intrastate working frequency
7135 Kc. Individual frequency checks
of Amateur Stations given when VK3WI
is on the air.VK3WI: Sundays, 0900 hours EST, simultane-
ously on 7146 Kc., 14.342 Mc. and
50.172 Mc. Country hook-up Sunday
mornings 0900 hours. Please call VK-
4234 on 20 mhz and Bruce VK4ZBD on
6 mhz.VK3WI: Sundays, 1000 hours EAST, on 7146
Kc. Frequency checks are given by
VK3MD and VK3WI by arrangements
on all bands to 50 Mc.VK3WI: Sundays, 0830 hours WEST, on 7146
Kc. No frequency checks available.VK3WI: Sundays at 1000 hours EST, on 7146
Kc. and 3575 Kc. No frequency checks
are available.VK3WI: Sundays, 0830 hours EST, simultane-
ously on 7146 Kc. and 14.342 Mc.
Individual frequency checks of Amateur
Stations given when VK3WI is on the air.Published by the Wireless Institute of Australia, Victorian Division,
478 Victoria Parade, East Melbourne, C.2.

Postal Address: P.O. Box 36, East Melbourne, C.2, Vic.

EDITORIAL



THE VALUE OF CONFERENCES

There is nothing as valuable to an institution as its ability to hold regular conferences, whether it be in the form of meetings of members, at a technical level, or at an administrative level. It is only by such means that the requirements of the members of any kind of organisation can be properly discussed and policies affecting its operation determined. This applies to clubs, associations, institutions, business enterprises—in fact to any group of people who form themselves into an organisation to carry on any kind of pursuit whether it be as simple as a sports club or as complicated as an institution with widely spread branches or divisions as in our own Wireless Institute of Australia.

At Easter time, during March this year, the Federal Council of the W.I.A. met around the conference table in Melbourne to discuss and determine many matters which directly concern the licensees of the Australian Amateur Radio Service, short-wave listeners and the general members of the Institute.

The results of the discussions, which covered a particularly broad field of the activities of Amateur Radio operators, were determined by direct representation of members throughout Australia through the office of the Federal Councillor who attended from each State of the Commonwealth on behalf of the members in his Division. Such discussions and determinations would be quite impossible by any other means than a conference. It is only because the delegates can actually meet each other and convey their Divisions' requirements in detail that makes it possible to arrive at satisfactory conclusions to problems that inevitably

must arise in an institution as far flung as the W.I.A.

On the occasion of the Conference this year it was more important than ever before that the Federal Council meet at the conference table, for in August commences the Extraordinary Radio Conference of the International Telecommunications Union in Geneva—a Conference of the highest administrative level in our modern world of communications and one which could have far reaching effects on the Radio Amateur Service not only in this country but in every country in the world.

Such are the problems of engineering the radio frequency spectrum on an equitable world wide basis that the possibility of reaching satisfactory conclusions would be completely and utterly beyond the realm of feasibility if it wasn't for the fact that the countries of the world hold a conference. The representatives to an international radio conference directly represent the requirements of their country around the conference table and it is only by this means that any sort of agreement can be reached.

To many who take no interest in the administration of their club, association, institute or other body organised to protect and perpetuate its activities, a conference may seem a boring procedure. But if there was a simpler means by which the same results could be achieved, the funds of such organisations would long ago have been channelled elsewhere.

In the case of international radio conferences the cost runs into astronomical figures but a better solution than a "conference" has never been devised.

FEDERAL EXECUTIVE.

THE CONTENTS

Simple Sideband, Parts Three and Four	3	U.S.S.R. International C.W. Con-	12
Solid State Amplifiers, Part Two	7	Correspondence	15
Book Reviews:		Amateur Call Signs	16
"CO" New Sideband Handbook	11	Prediction Chart for May 1959	16
The Radio Amateur's Handbook	11	DX	17
Performance-Tested Transistor		VHF	19
Circuits	11	I.T.U. Fund Donations	20
Ameco Amateur Radio Theory		ZL1PPJ—Scout Jamboree's Sta-	
Course	11	tion	20
Command Sets	11	Notes	21
The Instant R.F. Indicator	12	Contest Calendar	21

HAMS! HAMS! HAMS!

THE NEW 1959 EDITION OF THESE EVER POPULAR HANDBOOKS ARE NOW AVAILABLE.

RADIO HANDBOOK (New 15th Edition) 1959

Published by Editors and Engineers

PRICE: 85/6 plus 2/6 postage.

RADIO AMATEURS HANDBOOK 1959 Edit.

Published by American Radio Relay League

PRICE: 46/3 plus 2/- postage.

These fast moving Handbooks, written in a non-technical language, are a MUST item for Engineers, Amateurs and Radio Enthusiasts.

GET YOUR COPY NOW FROM . . .

McGILL'S AUTHORISED NEWSAGENCY

Est. 1860


183-185 ELIZABETH STREET, MELBOURNE, C.1, VICTORIA

"The Post Office is opposite"

Phones: MY 1475-6-7

REDUCE THE SIZE AND COST OF YOUR NEW EQUIPMENT

TYPICAL
UNITS
USING
ZEPHYR
MATRIX
SYSTEM



Leaflets and
Price List available
from all
leading Wholesalers.



Enquiries invited
from
Manufacturers.

ZEPHYR PRODUCTS PTY. LTD.

58 HIGH STREET, GLEN IRIS, S.E.6, VIC.
Phones: BL 1300, BL 4556

SIMPLE SIDEBAND*

PARTS THREE and FOUR

THE PRODUCTION OF S.S.B. How to Eliminate One Sideband and the Carrier

It is a very easy matter to balance out the carrier of any modulated signal and confound those who insist that a.m. is envelope modulation. (Believe me, there are many who do. I found that out after I wrote Part 1). Fig. 1 shows a circuit which is known as a **balanced modulator**. If you look closely you will see that it is identical with a push-push circuit with which we are all familiar save that in this case the tuned circuit in the plate of the tubes is tuned to the same frequency as that of the grid. You may amuse yourself any old time trying this out on your a.m. rig so long as it has two tubes in the output. If you put the thing on the air you may be surprised to find that you have double sideband suppressed carrier. It is not proposed though to discuss d.s.b. suppressed carrier in these articles, so let's pass quickly.




FIG. 1.

The carrier may also be suppressed in diodes, either of the tube type, or of the simple germanium. These are merely connected up in the push-push arrangement we used with the triodes. So the suppression of the carrier offers little difficulty. Indeed, it is simpler than the process of modulation itself, so have no fears on that score.

Removing the unwanted sideband is a different story. It cannot be balanced out as is done with the carrier. This is unfortunate for this would indeed make sideband simple.

There are two methods mainly in use for suppressing the carrier. One method used by telephone companies and Amateurs is the filter method. This may consist of high Q circuits used something like a wave trap. Actually, it's just a little more difficult than that but the principle is identical. The wave trap may take the form of crystals; it may consist of low frequency i.f. transformers, or as in the Post and Telegraph Department, on their carrier circuits, it may use toroidal filters. Whatever the means, the end is the same; the one sideband is filtered off. The carrier may be removed in the same way or it may be removed with the balanced modulator. The filter system is a good one and once constructed seldom requires adjustment. It is not easy to construct though. The various components need very careful adjustment to obtain pleasant quality. The

sideband suppression may be made near perfect at the output of the filters. I will have more to say about this latter, later.

The other method, and the method I propose to discuss first, is that known as the **phasing**. In this system the audio is divided into two components, usually at a low level, and the phase of one is shifted 90 degrees in relation to the other. Likewise, an r.f. component is divided into two and the phase of one shifted 90 degrees in relation to the other. These four components are then mixed in the balanced modulator which at the same time suppresses the carrier and Bingo! the job is done.

What happens in that little old balanced modulator is very easily explained with a little chalk, a blackboard and a couple of vector diagrams. If, though, I am to get through this course without those, sufficient if I say that the one sideband cancels out. There are some things you need take for granted and unless you are prepared to get stuck into the maths book, this is one of them. To digress—would you be any better off if you knew where the light went when it went out?

The phasing method is perhaps the simpler method available to Amateurs who would construct their own equipment, for it does use more readily available components. The quality should always be excellent if reasonable design practice has been followed.

As against this, phasing rigs require more frequent adjustment. The sideband suppression at the output of the balanced modulator cannot be made as good as that from a filter rig. Subsequent amplifiers, though, will, in all cases, degrade the suppression so that the unwanted sideband is **attenuated** by about 35 db. in both cases. Therefore, as far as unwanted sideband is concerned, there is little to pick and choose from in regard to the two methods. This is often a fact which is overlooked yet easily substantiated merely by looking up the third harmonic distortion percentages of various amplifier tubes. At the best, you'll find these around the 35 db. mark.

In a previous article I said that once you got hold of Donald by the neck and peered down his throat, you'd be surprised at what little mechanism there is to cause all the quack. This you will truly realise when you have followed me through the block diagram and circuit, in this article.

Beginning with the mike we come to the audio pre-amp. This may well be ordinary circuitry perhaps borrowed from the a.m. rig, though it is an excellent idea to use a form of audio filter to limit the audio response. This should also be done in a.m. circuits of course, but is not. The same is applicable to s.s.b. Three triodes are a very common pre-amp arrangement, but any other configuration may be used.

LESTER EARNSHAW, ZLIAAX

The audio is then fed into a transformer or cathode follower so that the impedance is lowered to somewhere around 500 ohms. This figure is necessary to match up the usual type network available. The next portion of the diagram is known as the **audio phase-shift network**. This network shifts the phase of the two components which are presented by the transformer and about which I am going to say little. Instead I refer readers to the excellent articles written by Noel Southwell, VK2ZF, in "A.R." (August, September, and October, 1957), which cover the matter very well indeed.

A little about phaseshifting in general may not go astray at this stage for I do find that not much is generally known about this subject. If we connect a condenser across a battery it will be found that there will be a sudden rush of current flowing from the battery into the condenser and this high surge will create a voltage drop across the internal resistance or reactance of the condenser which in turn means that though there is a high flow of current in the condenser, the actual voltage there is low. But when the flow ceases the voltage will be high. This then means that when the voltage is high, the current is low, and when the voltage is low, the current is high. These two therefore are out of phase. The same is true of an inductance but in a reverse sense. There the voltage leads the current.




FIG. 2.

A Block Diagram of a Phasing Type Rig.

From this it may be seen that either capacitance or inductance may be used to shift the phase relationship of a voltage and current and this is quite true. Any condenser or inductance will give a phase shift. It is merely a matter of sorting out the condenser or inductance that will give you the required shift.

Getting back to our simple sideband, we arrive now at the balanced modulator in which the carrier suppression and mixing take place. I will give a practical circuit of this later.

Meanwhile, we must have a source of r.f. and this we obtain from a v.f.o. or crystal oscillator. As we did in the audio circuit so do we now divide this into two outputs, shift the phase of one 90 degrees in relation to the other, and then feed both into the balanced modulator. This r.f. phaseshifting may be accomplished much more easily than was the case with the audio because we are dealing now with only one frequency. Whereas in the audio we had to hold the phase constant over a band of frequencies, now we are concerned

* Reprinted from "Break-In," July, Aug., 1958.

only with one frequency at a time. When you install an element behind the radiator in your antenna system, by detuning this element you shift its phase by a factor something like 90 degrees and make it into a reflector. Conversely, when you detune it 90 degrees in the opposite direction you make it into a director. Thus, from this we learn that merely by detuning a tuned circuit that is coupled not too closely to a source of power, so do you alter the phase of the voltage induced into that circuit. And that is the method I propose to use here. There are other ways: You may put a condenser in one leg and an inductance in the other of the two r.f. circuits and accomplish your shift that way, but the method I am using simplifies the modulation of the r.f. for this must still take place of course. You must remember at all times that s.s.b. is a.m. with the carrier and one sideband taken out.

Look now at the circuit diagram of Fig. 3. Into the step-down transformer we feed our audio from a pre-amp. The phaseshift network requires an unequal input (ratio 2:7) to get equal output. We adjust this with the pot. P1. Then we have an ordinary amplifier tube which has a pot. in the cathode circuit to adjust for different audio outputs from the two tubes. Then come the two 6:1 step-down transformers. These two transformers deserve special mention for it is most important that they do not create phaseshift. You have gone to all the trouble of buying or constructing an audio phaseshift and you must not now destroy this. The coil must have ample core area so that it does not saturate under any condition of operation. Cathode followers may be used in place of the transformers but the transformer is simpler and by careful design may be made to shape the audio characteristics. The two 0.005 μ F. bypass condensers keep r.f. out of the windings.




FIG. 3.


No doubt you have already noticed that the transformer outputs each go through a link winding to P2 and P3 at the input to the balanced modulator. L1 is the plate coil of an ordinary crystal oscillator, but well might be the plate coil of a buffer from a v.f.o. or may even be used without the tube and instead link coupled to a Gelo signal shifter as was done in my case for some time. L1 and C1 is merely a source of r.f. and it matters little where the r.f. comes from. If you have a discerning eye you may have noticed that L2 and C2 is not coupled to anything. According to the diagram you would be right, but in practice this coil is coupled to L1 in the manner some-

what similar to the two coils in an r.f. transformer. L2 and C2 is the under-coupled tuned circuit mentioned earlier which is detuned to obtain phase shift.

For 80 metre operation L1 and L2 may be each wound on $\frac{1}{4}$ " formers. C1 and C2 may each be 150 pF. and the two circuits grid dipped to 3.8 or thereabouts. The two coils are mounted so that nothing comes between them or within $\frac{1}{4}$ " of them and one is placed $\frac{1}{4}$ " from the other. The links are each 6 turns of hook-up wire. But these two coils must not be inadvertently coupled to L3 or any of the output stages. If there is any coupling between L3 and either L1 or L2 you will not balance out the carrier. P1 and P2 are the pots, which balance out the carrier. You move first one for the null, then the other. Return again to the first and so on.

The balanced modulator is a kind of push-pull arrangement as mentioned earlier. Keep lead lengths to its output coil equal and the coil away from surrounding objects. L3 may take any form that strikes the fancy so long as the wire each side of the centre tap is exactly equal. With the condensers shown there will not be many turns. Grid dip the coil to your crystal frequency and you are in business. The link may have two turns of hook-up wire.

This then is the whole means of producing our s.s.b. signal. A 6AG7 output tube tacked on behind and you are in business. T1 might well be the output transformer of an ARC5 (or Command receiver). Some of these receivers have transformers with both low and high impedance outputs. Place say 100 volts of a.c. across the primary and measure the output voltage from the secondary taps until you get the correct ratio. I would not suggest experimentation with T2 and T3 though, for various tests here showed varying



amounts of introduced phaseshift and this must be avoided.

If you construct your own network, use only high stability resistors for tests here showed that in three months ordinary components, through absorbing heat and moisture, changed value by as much as 20%. This amount of change will mean that you are on d.s.b. in a big way.

If you use a v.f.o. instead of a crystal oscillator, you must adjust L1 and L2 each time you shift frequency. This may be overcome to a certain extent by connecting a small two gang condenser across the two coils and tuning this to the new frequency. It is the difference

in tuning between the two coils which must remain constant.

The alternative is to generate the sideband of say 9 megs and then feed the output from the balanced modulator into a receiver mixer valve. By feeding a 5 meg. v.f.o. from say an ARC5 (Command transmitter) into the injection grid, your output i.f. frequency may be the sum (20 metres) or the difference (80). Now your adjustments need not be altered and secondly, if you use voice control, the crystal oscillator and the v.f.o. may be left running and the mixer circuit switched. This will prevent "tails" as the oscillator dies and will also prevent all sorts of blurs in the receiver.

Lastly, do not underestimate this transmitter. I used exactly the same thing for six months or more, using a Gelo v.f.o. driver link coupled to L1. Driving a 6AG7 into an 813, I worked all W prefixes plus KLTs, KHGs and others. This was done on 80 metres.

CIRCUITS PERTAINING TO THE GENERATION OF S.S.B. AND OTHER CONSIDERATIONS

Fig. 4 is the complete circuit of the audio line-up in use at this station. I mention that I have built this circuit in many different rigs now and have found it excellent in all respects. You will find that it is completely free from "bugs" so long as normal wiring precautions are observed and just so long as you use it as it is. Many, to whom I have given the circuit, have introduced little "frills" of their own and then have wondered at the poor reports. For example, if you indiscriminately bypass the cathode resistors you not only completely alter the shape of the audio bandpass, but you give the amplifier more output. To get distortion-free output it is necessary that you have one volt of audio for every 10 volts of r.f. applied to the balanced modulators. If the balanced modulators give insufficient output to drive the following stage, use further r.f. amplification, not more audio amplification.

No doubt you have often noticed that some stations are harder to "tune-in" than others. Assuming the difficulty is not due to receiver adjustment, it may well be that there is a good reason for this. Your audio phaseshift network is designed to pass only a certain band of frequencies such as from 300 to 3,000 cycles, with not more than 1.5 degrees of error. Frequencies above or below this will not be attenuated on the unwanted sideband to lesser or greater extents, dependent on the frequency. Consequently, you will be producing double sideband at the low frequencies and as the two sidebands are, at those frequencies, only cycles apart, you are going to get a peculiar "roll over" effect and of course the phase distortion one always gets with double sideband without carrier unless special detectors are used. This is why—no doubt you have noticed—we use 0.001 μ F. coupling condensers and low value grid resistors. The 0.0015 μ F. from the grid of V2 (Fig. 4) to ground restricts the top end to

For QUICK, EASY MEASUREMENTS

OF RESISTORS AND CAPACITORS




UNIVERSAL MEASURING BRIDGE

TYPE A56048

FEATURES

- Provision for comparative measurements, i.e., Ratio and percentage, etc.
- "Open bridge" position allows use of external standards.
- Provision for use with external frequency source.
- Capacitance Range: $10\mu\text{F}$ to $10\mu\text{F}$.
- Resistance Range: 0.1 to 10M .
- Built-in self-checking system.



For further particulars contact
Test & Measuring Instrument Dept.

AMALGAMATED WIRELESS (AUSTRALASIA) LIMITED

SYDNEY
B 0233

MELBOURNE
MU 9161

BRISBANE
J 1631

PERTH
BA 5945

WELLINGTON, N.Z.
43-191

EST 11.59

Solid State Radio Frequency Amplifiers

PART TWO

C. S. RANN,* VK3AAK

PARAMETRIC AMPLIFIERS

IN the first article of this series a description was given of the operation of a maser solid state amplifier. At the present stage of the art it would be rather impractical for any independent experimenter to undertake the construction of a maser amplifier due to serious practical difficulties such as the use of liquid air. The amplifier to be described in this series, however, is well within the bounds of Amateur construction; furthermore, this type of amplifier is only in the initial stage of development so Amateur experimenters could perhaps contribute some useful ideas.

The amplifier is referred to as a "parametric amplifier," "reactance amplifier" or a "MAVAR"—a recently coined acronym for "Mixer Amplification by Variable Reactance." The original idea was suggested as long ago as 1916, however, the present types of amplifiers have only evolved within the last few years.




Fig. 1.—A Typical Parametric Amplifier Circuit.

The amplifier is shown diagrammatically in Fig. 1 and Fig. 2. There are three tuned circuits; one circuit is tuned to the pump oscillator frequency as in the maser, another circuit is tuned to the signal frequency, and the third circuit is tuned to the "idler frequency", the purpose of which will be described later. The three circuits share a common reactance, shown here as a condenser. This reactance is called a "varactor" (variable reactance) and is the heart of the amplifier. The varactor must have a non-linear characteristic, i.e. if it is a condenser, the non-linearity exists between the charge on the condenser and the voltage across it. If the varactor be an inductance, then the non-linearity exists between the flux and the current through the coil. The most convenient varactor at present appears to be a back biased diffused junction silicon diode. The capacity of such a diode varies with the applied back bias voltage due to the change in the width of the depletion layer at the junction of the diode. For examples of suitable diodes, see "QST", Feb. 1959. It should be pointed out that the diodes used in u.h.f. mixer circuits rely on non-linear resistance characteristics and in general, no gain can be had from them in parametric amplifier use.

The pump oscillator, as in the case of the maser, provides power which is converted to the signal frequency and provides amplification. The amplifier can exhibit negative resistance when operated in a certain way, this leads to amplification by regeneration. Operation by a different method leads to an "up converter" which can show a useful gain without resorting to regeneration. Amplifiers have been constructed showing gains of 20-30 db, and noise figures of about 1 db.

HISTORICAL DEVELOPMENT AND RELATIONSHIP TO A MODULATOR

An explanation of the reason these amplifiers show gain would involve a digression into the Fourier summation of the various frequencies involved. I will try, however, to give a description using simple modulation theory. This approach is actually similar to that of the early investigators who developed the theory of this type of amplification. Hartley, in 1936, described a capacitance modulator using a moving plate condenser, the capacity of which varied with the sound waves of the voice. The capacity of this condenser controlled the power, at the signal frequency, to be passed to the output. He showed mathematically that the modulation could under certain conditions become unstable. If the radio frequency current being modulated were increased in power the moving plate condenser could be made to burst into mechanical oscillation at an audio frequency. Later Hussey and Wrathall verified experimentally that this was so.

Since that time interest has seemed to lapse. The results were applied in the case of magnetic amplifiers to explain spurious effects, but in general the electronic engineers have been too preoccupied with new fields such as microwaves, computers, etc., to investigate this effect which on the surface would not appear to have many practical applications. Recently, however, the subject has been revived because of the problems of obtaining low noise amplifiers in the v.h.f. and u.h.f. region. At these frequencies there is not much external noise to be received and it becomes possible to detect very weak signals if equipment is available which is free of noise. Unfortunately electron tube amplifiers lead to no further gain than simple crystal mixers. This is because they generate noise internally, so in spite of the amplification they perform on the signal the resulting signal-to-noise ratio is the same or worse than that coming in from the aerial. Parametric amplifiers utilising these earlier effects are able to eliminate electron tubes from the front end of a receiver, the amplification being obtained with low noise solid state devices such as the crystal diodes mentioned. It may be said that the wheel has completed a turn, and we are once again back to crystal sets, even though we may have to look hard to recognise them.

Getting back to the explanation of the amplifier we can start by consider-

ing an amplifier as a modulator. That is, small power alternations at the signal input frequency cause variations in the amplifiers energy source resulting in the flow of higher power alternations at the amplifier output. The energy source of the conventional amplifier is a direct current, and the output should be a higher power replica of the input signal. If this direct current energy source is regarded as an alternating current source of zero frequency, we can then see that the usual amplifier is only a special case of a more general series of modulators in which the modulator energy is an alternating current. The special properties of variable reactance type modulators are less widely known than the more conventional type of modulator. These properties will now be described, and they provide the fundamental working principles of the parametric amplifier.




Fig. 2.—Equivalent Circuit of Fig. 1.

GENERAL THEORY

The general case of the mixing of two alternating currents through a non-linear reactance leads to the generation of an infinite series of beat frequencies. These are the sum and difference beats of the two signals mixed and all of their harmonics. If we confine our attention to the simple case of only four frequencies, namely the two signals being mixed and their sum and difference, then we can use two important results from the earlier work of Hartley.

(1) The two signals applied to the non-linear reactor supply power unequally, the ratio of these two powers being greater than the ratio of their frequencies. If one signal source has a much higher frequency than the other, it will supply most of the power to the modulator, the low frequency source will supply very little power.

(2) The power available at the sum frequency of the signals mixed, comes from both generators, i.e. this power is equivalent to a positive resistance in the circuit of both the sources. In the case of the difference frequency however, power is absorbed from the higher frequency source but not from the lower frequency source, in fact power is actually given to the low frequency source also; i.e., absorption of power at the difference frequency introduces a positive resistance into the high fre-

* 2 Georgiana St., Sandringham, Vic.

quency source and a negative resistance into the low frequency source.

The two equations given below give the power relationships between these frequencies, the only restriction being that the non-linear reactance be single valued, i.e., no hysteresis effect. The results are independent of the power of the two mixing signals, and the shape of the non-linear characteristic.

If P_h = power of higher frequency f_h ,
 P_l = power of lower frequency f_l ,
 P_+ = power at frequency f_+ =
 $f_h + f_l$,
 P_- = power at frequency f_- =
 $f_h - f_l$.

$$\text{Then } \frac{P_h}{f_h} = -\frac{P_+}{f_+} - \frac{P_-}{f_-} \dots \dots (1)$$

$$\frac{P_l}{f_l} = -\frac{P_+}{f_+} + \frac{P_-}{f_-} \dots \dots (2)$$

UP-CONVERTERS

If after mixing the two frequencies f_h and f_l we extract power at frequency f_+ both the source of f_h and of f_l supply power. In this case no power flows at f_- , hence P_- is zero. For $P_- = 0$ the circuit must show an open or a short circuit at this frequency. For this set of conditions the master equations (1) and (2) can be re-written.

$$\frac{P_h}{f_h} = -\frac{P_+}{f_+} \dots \dots (3)$$

$$\frac{P_l}{f_l} = -\frac{P_+}{f_+} \dots \dots (4)$$

The algebraic sign of each term is important, if power is going into the unit it is positive, if it is being extracted from the unit it is negative. In equations (3) and (4) it is obvious that for power to be extracted at frequency f_+ , power must come from the power sources of frequencies f_h and f_l which are both positive. These equations are in the most general form deliberately; in an actual practical example we could make the following transformation:

f_h = frequency of pump oscillator.
 f_l = signal frequency from aerial.

Then using equations (3) and (4) we have f_h and f_l both positive as they are feeding power into the varactor. At frequency f_+ ($= f_h + f_l$) is a tuned circuit taking power from the varactor, hence P_+ is negative. This example is actually a modulator (usually called an "up-converter") and it can be made to give considerable conversion gain. Using equation (4), gain $G = -(P_+ / P_l) = (f_+ / f_l)$, hence the further apart the signal frequency and the sum frequency, the greater the gain of the unit. In this example to obtain the original signal we would have to demodulate at frequency f_+ , with a high frequency receiver. The gain in power at the frequency f_+ has been obtained mainly at the expense of the source of power of the amplifier, i.e., the pump oscillator at frequency f_h . Reference to Figs. 3 and 4 should demonstrate the types of modes usually used and discussed in this section.

Before passing on to the next basic type of converter it should be pointed out that these equations also apply to demodulators. In the case of a demodulator, the signal comes in at f_+ and the output is at f_l . The gain on demodulation $-(P_l / P_+) = (f_l / f_+)$ is unfortunately less than unity.




Fig. 3.—The case of a high pump frequency.

- (1) If power is absorbed at f_-
 (a) And output taken at f_l regenerative r.f. amplifier.
 (b) And output taken at f_- regenerative up-converter.
- (2) If power is absorbed at f_+ plus
 (a) Output taken from f_+ plus up-converter.

STRAIGHT AMPLIFIER

If instead of extracting power at f_+ we extract power at f_- , we get a different set of equations from (1) and (2). As $P_+ = 0$, we get:

$$\frac{P_h}{f_h} = -\frac{P_-}{f_-} \dots \dots (5)$$

$$\frac{P_l}{f_l} = \frac{P_-}{f_-} \dots \dots (6)$$

In equation (6) it is seen that P_l and P_- are of the same sign, hence if power is extracted at f_- , then P_- is negative and P_l will then become negative, i.e., power will leave the varactor at f_l , thus negative resistance and regeneration can be introduced at the signal frequency f_l . If regeneration is present the gain depends on this coupled with the various losses in the amplifier, and the equations are not used. Examination of equation (5) shows that the power for regeneration is obtained from the pump oscillator at frequency f_h .

It should be noted here that power must be absorbed at frequency f_- to get regeneration at frequency f_l , the signal frequency. The tuned circuit in the amplifier absorbing power at f_- is called the "idler circuit", as it does not seem to be doing anything. It will be apparent, however, from the equations that if power does not flow at this frequency no regeneration will occur at the signal frequency.

The amplifier described in this example seems to be the "original" parametric amplifier. It is virtually a regenerative r.f. amplifier of very low noise,




Fig. 4.—Signal and pump frequencies close together.

- (1) If power is absorbed at f_-
 (a) And output taken at f_l regenerative r.f. amplifier.
 (b) And output taken at f_- regenerative down-converter.
- (2) If power is absorbed at f_+ plus
 (a) And output taken at f_+ plus up-converter.

with the degree of regeneration controlled by the power from the pump oscillator. The main objection to this type of amplifier is that it is likely to break into oscillation at very high gain, and being regenerative, the bandwidth will be correspondingly narrow.

DOWN-CONVERTER

In the example of the previous straight amplifier we saw that power could be extracted from the varactor at two frequencies f_+ and f_- . We took the output from f_l which was the signal input frequency. The output could be taken from f_- , again using regeneration to provide the gain. In this case the signal has been converted downwards, hence the designation "down-converter".

There are so many combinations that can be worked out in these converters that the nomenclature is becoming confusing. Whenever the output is below the signal frequency however, we have a down-converter unit of some sort. An interesting attenuator is described in "QST", Feb. 1959 in which a down-converter is run in a stable mode with the pump oscillator at a lower frequency than the signal. The gain or actually attenuation is f_- / f_h , in this case f_h is the signal frequency. (The sign convention is opposite to the one used in the "QST" article.)




Fig. 5.—System for a Straight Parametric Amplifier.

GENERAL DESIGN

The diagrams should help clarify the various types of converters, and the general theory should help the understanding of any converters that have not been described. Before giving some examples from the literature, one more design point should be mentioned. In the above discussion four frequencies only have been manipulated. In the general case as mentioned before there are an infinite number of sum and difference frequencies resulting when two signals are mixed. These are given by $X f_h \pm Y f_l$, where X and Y are interger numbers representing the various harmonics. In normal radio practice, as in the above discussion, the only sum and difference frequencies used were those where both X and Y equalled one. In designing parametric amplifiers, however, there are sometimes advantages in picking higher members of the series. An example of this will be given where the pump frequency is below the signal frequency. In this case an electron tube pump oscillator may not be able to oscillate at an extremely high frequency as required by the normal operation of a parametric amplifier. The lower frequency pump mode of operation would then permit an amplifier to be constructed at these super high frequencies.

EXAMPLES OF AMPLIFIERS

Some examples from the literature may help to clear up any hazy thoughts on the subject.

Reactive Up-Converter: This mode of operation has not been examined in the foregoing discussion. A diode type amplifier receives the signal at 900 Mc. (f_1), mixes it with the pump oscillator at 9,900 Mc. (f_p) to give a signal at 9,000 Mc. (f_2). This signal at 9,000 Mc. is then mixed with a 9,070 Mc. local oscillator producing a 70 Mc. intermediate frequency signal. The noise figure for this unit is less than 1 db. The unit has a conversion gain of 18-20 db. and is used for tropospheric scatter communication.

On a 250-mile path the use of this unit enabled a cut in transmitter power from 10kw. to 1kw. Whilst this unit is an up-converter, it is regenerative because power is extracted at f_2 . It is rather similar to the down-converter in this respect. Presumably the unit could also have been used as an r.f. amplifier at 900 Mc., but would most likely have had a poorer noise figure.




Fig. 6.—System for a Down-Converter.

Standard Parametric: A cavity was made resonant at 3,500 Mc., 2,300 Mc., and 1,200 Mc. A diode was placed within the cavity and a pump power of 100 mw. at 3,500 Mc. (f_1) caused oscillations to occur at 2,300 Mc. (f_2) and 1,200 Mc. (f_3). On reducing the pump power, amplification was obtained from either of these frequencies. Bandwidth at 19 db. gain was 1 Mc., at a power output of 1.5 mw. The noise figure was 4.8 db.

Parametric with Lower Pump Frequency: This amplifier again used a diode as the varactor. The signal was at 380 Mc. and the idling circuit at 220 Mc. The pump oscillator was at 300 Mc., a second harmonic of the pump virtually being used in order to get an idling frequency of 220 Mc., i.e., $f_2 = 2 f_1 - f_p$. $f_2 = 2 \times 300 - 380 = 220$ Mc. This amplifier gave a stable net gain of 20 db. at 380 Mc., using a pump power of 30 mw. Strong oscillations commenced at 380 Mc. when the gain was made to exceed 40 db. The noise figure was 10 db. and the bandwidth 1 Mc.

The amplifiers described in this article bear little resemblance to the example described in "CQ", Nov. 1958, in which only one tuned circuit is used for the whole amplifier. This is a particular case of the general theory in which the signal frequency and the idler frequency are the same. It is usually referred to as the "degenerate mode" and has several attractive features. It has been proposed mathematically that it contributes less noise, and it also is more convenient to construct having only one tuned circuit. There is no tuned circuit for the pump oscillator.

lator, it is fed straight onto the varactor by a co-ax cable from the oscillator. The pump frequency is twice the signal frequency as shown by the general theory.

$$\begin{aligned} f_2 &= f_1 - f_1 \\ \text{then pump frequency } f_p &= f_1 + f_2 = 2 f_1 \\ \text{as } f_2 &= f_1. \end{aligned}$$

The pump frequency could, of course, be any other frequency predicted by the general theory, and it is quite possible that a lower noise figure could be obtained by using much higher pump frequencies.




Fig. 7.—System for an Up-Converter.

CONCLUSION

These examples should suffice to illustrate the many combinations of frequencies that can be used in designing out a parametric amplifier. When designing your experiments remember all other frequencies except those in use should see either an open circuit or a short circuit. Very strange spurious effects may result if power at any of those many sum and difference frequencies is allowed to flow, or unwanted noise could be introduced.

This review article has only dealt with a few types of the many described elsewhere, so a study of the literature would be well worthwhile. Also, it will be noticed in so doing that the nomenclature associated with the components and the various types of amplifiers has not been standardised. In this article the most commonly used words have been applied. No attempt has been made here to describe a practical amplifier. Descriptions of practical amplifiers have been published, but there are not many descriptions of the basic theory available good enough to explain the multitude of receivers being described, or to allow the design of an experimental amplifier.

The amplifiers described at present are quite likely to be obsolete in a few




Fig. 8.—Up-Converter using unstabilised pump oscillator.

years. Electron beam maver tubes are under construction in which an electron beam is used for the coupling in place of the varactor. Ferrite loaded coils are also being used, in which various ferro-magnetic resonances are excited. It is logical to assume that more efficient varactors will be developed, and be used in better designed amplifiers. At this stage all one can say is that there still remains a lot of experimental and developmental work to be done, and it is hoped that the experimentally-minded Amateurs will contribute. In the future, maybe, the pages of this magazine will contain many articles concerning experiments and construction of these amplifiers.

BIBLIOGRAPHY

GENERAL READING:

- "The Mavor Low Noise Microwave Amplifier," Weber Electronics (Engineering Edition), p. 85, Sept. 26, 1958.
- "New Approaches to the Amplification of Microwaves," Whitke, p. 441, R.C.A. Review, Dec. 1957.
- "The Parametric Amplifier," Harris, "CQ", Nov. 1958.
- "New Thresholds in V.H.F. and U.H.F. Reception," Bateman and Bain, Series starting "QST" issues so far received: Dec. 1958, p. 30; Jan. 1959, p. 11; Feb. 1959, p. 28.

BASIC THEORETICAL PAPERS:

- "Oscillations in Systems with Non-Linear Reactance," Hartley, p. 624 Bell Systems Technical Journal, Vol. 15, July 1936.
- "Some General Properties of Non-Linear Elements," Manley and Rowe, Proc. I.R.E., p. 904, Vol. 44, July 1956.

Theoretical Papers on Particular Aspects of the Amplifiers:

- "Theory of Parametric Amplification Using Non-Linear Reactances," Bloom and Chang, R.C.A. Review, p. 578, Dec. 1957.
- "Parametric Amplifier Using Lower Frequency Pumping," Chang and Bloom, p. 1383 Proc. I.R.E., July 1958.
- "Gain Bandwidth and Noise Characteristics of the Variable Parametric Amplifier," Heffner and Wade, Jour. Appl. Phys., Vol. 29, September 1958.
- "The Potential of Semi-Conductor Diodes in High Frequency Communication," Uhler, Vol. 46, Proc. I.R.E., Dec. 1958.
- "Gain and Noise Figure of a Variable Capacitance Up-Converter," Leenov, Bell Systems Tech. Jour., Vol. 37, July 1958.

D.X.C.C. LISTING

Listed below are the highest twelve members in each section. New members and those whose totals have been amended will also be shown.

PHONE

Call	Cer. Cnt- No. rics	Call	Cer. Cnt- No. rics
VK6RU	6 224	VK6EW	4 184
VK6MK	43 216	VK6BZ	3 178
VK4FJ	21 213	VK4ER	23 164
VK3WL	14 211	VK3EE	10 163
VK3ATN	26 204	VK3DB	1 161
VK4HR	12 182	VK4WF	16 180

Amendments

VK3ACN 39 120

C.W.

Call	Cer. Cnt- No. rics	Call	Cer. Cnt- No. rics
VK4FJ	29 248	VK3XU	48 213
VK3KB	10 245	VK3NC	19 205
VK3CX	96 240	VK3YL	39 203
VK3FH	15 226	VK3BY	45 202
VK3BZ	6 222	VK6RU	18 193
VK4HR	8 218	VK2EO	2 191

OPEN

Call	Cer. Cnt- No. rics	Call	Cer. Cnt- No. rics
VK4FJ	32 251	VK3XU	61 221
VK3ACX	6 250	VK6MK	74 220
VK6RU	8 246	VK3BG	3 215
VK4HR	7 233	VK3JE	12 210
VK3BZ	4 231	VK3ATN	69 210
VK3WL	45 225	VK3NC	77 209

MADE FROM
HIGHEST QUALITY
MATERIALS

TELEVISION
and RADIO
COMPONENTS

"Q-PLUS"

ANNOUNCE THE RELEASE OF THEIR LATEST PRODUCTS

**AN
ECONOMY
MODEL**

**14" 110°
T.V. KIT**

FEATURES INCLUDE:

- ★ Only 13 Valves and two Germanium Diodes.
- ★ Gated Beam F.M. Detector.

- ★ Silicon Diode Rectifiers.
- ★ Fully Rated & Shielded Double Wound Power Transformer.

99 GNS.

COMPLETE

to the last Nut and Bolt
with PICTURE TUBE,
CABINET and
INSTRUCTION MANUAL.

Transistorised D.C.-D.C. Converter

This Unit is Specially Suited for Most Types of Mobile Radio Telephones
operating from a 12 Volt D.C. Supply

- ★ Electrical Specifications: Input (full load) 12v. d.c. at 3a.; Output (full load) 300v. d.c. at 100 mA.
- ★ Ripple: Less than 1% maximum.
- ★ Efficiency: 80-85%.
- ★ Temperature Rise (full load): 45°C.

TRADE PRICE

£13/5/-

Plus 12½% Sales Tax.

Quantity Price on Application.

Data Sheets are available and will be forwarded on application.

A Full Query Service is available to Purchasers of these products which are available from Authorised Distributors or direct from . . .

R. W. STEANE & CO. PTY. LTD.

Head Office and Factory: MELBOURNE—2A MONTROSE STREET, HAWTHORN, E.3. WB 3377-8-9.

Branch Office: SYDNEY—8 CADOW STREET, PYMBLE. JX 3556.

BOOK REVIEWS

"CQ" NEW SIDEBAND HANDBOOK

Don Stoner, W6TNS

The author, W6TNS, has set out to cover the whole subject of Amateur sideband in this handbook. The entire book is written in a very easy style with a complete absence of maths, and contains much of what the author calls "sugar coated theory".

The handbook is divided into eight chapters in logical sequence. Of particular interest are the chapters entitled "What is Sideband?", "Double Sideband", "Balanced Modulators" and "Receiving Sideband".

Almost all of the material in the "New Sideband Handbook" has not previously been published. A very good collection of circuit diagrams has been given including several extracted from various items of commercially made Amateur equipment. A number of constructional articles is included, but, as is usual in most publications originating overseas, some of them are not suited to our conditions here. Of particular local interest should be the practical articles in the chapters on "Double Sideband" and "Linear Amplifiers", an s.s.b. receiver built around a BC453 Q-5et and a "driftless" v.f.o.

The book is very well presented and the circuit diagrams clearly drawn. It may be recommended as an ideal introduction to sideband for the newcomer to this mode of transmission and reception and the wealth of information it contains should be very useful to even the most experienced "sidewinder".

Publisher: Cowan Publishing Company, New York. Australian price 31/- plus 1/- postage. Our copy from Technical Book and Magazine Co., 295 Swanston St., Melbourne, and McGill's Authorised Newsagency, 183 Elizabeth St., Melbourne.

THE RADIO AMATEUR'S HANDBOOK

The American Radio Relay League announces publication of the 1959 thirty-sixth edition of The Radio Amateur's Handbook (746 pages), the standard manual of Amateur Radio communication. Published continuously since 1926, the Handbook is a much-used reference work that has proved invaluable to many thousands of Radio Amateurs, Experimenters, Students and Engineers. A best-seller in every sense of the word, over three million copies have been sold in the thirty-odd years it has been published.

Its sections on the theory of radio communications have been brought up to date to keep abreast of the state of the art; and material on the construction of equipment includes new designs in all the categories. There are receivers for both the beginner and the advanced constructor; transmitters for every level of power and frequency range are described.

Special methods of Amateur communication, such as sideband and radio-teletype, are treated in sufficient detail so that any student of the art will be able to understand the basic principles.

The theory and practice of mobile radio equipment is thoroughly covered, including the fundamentals of transistor power supplies.

The important section on vacuum-tube characteristics has been completely revised and made current. It provides one of the most complete listings of vacuum-tube characteristics and tube-base diagrams to be found between the covers of any one book.

As it has for a number of years, the Handbook also contains a large catalogue section, featuring communications equipment of the nation's leading manufacturers. In most cases, complete specifications and measurements are given to assist the constructor.

Publisher: American Radio Relay League, Australian price 46/3 plus 2/3 postage. Our copies from Technical Book and Magazine Co., 295 Swanston Street, Melbourne, and McGill's Newsagency, 183 Elizabeth St., Melbourne.

PERFORMANCE-TESTED TRANSISTOR CIRCUITS

By Sylvania Electric Products Inc.

A booklet of over fifty pages packed with information for the experimenter.

Our copy from McGill's Authorised Newsagency. Price 4/6 plus 9d. postage.

AMECO AMATEUR RADIO THEORY COURSE

By Martin Schwartz

Here is a complete theory course for those who are studying for the A.O.C.P. examination.

The course is divided into three parts. The first section takes in all the necessary a.c. and d.c. theory. The second is devoted to vacuum tubes and their uses, while section three discusses transmitters, receivers, antennae and

regulations. As the book is published in the United States the regulation chapter will have to be eliminated from study and the P.M.G. Handbook for the Guidance of Amateur Operators substituted.

At the end of each section there are a number of practice questions which will check your knowledge.

This book covers all you will need to know to pass the A.O.C.P., and is written in an easy to understand way.

Our copy from the Technical Book Co., Swanston St., Melbourne. Price 45/6.

COMMAND SETS

This excellent book encompasses in one volume most of the data printed in "CQ" on the Command series of transmitter and receiver conversions, and gives all the original circuit diagrams, plug connections, etc.


Some conversions selected at random include 80, 40, 20, 15 or 10 metre operation, keying filter, break-in, band-spreading, crystal control, ideas for mobile work, using as a v.f.o.; tuning knob, crystal converter, double conversion, noise limiter, Q-Fiver, improving signal-noise ratio. Also given are suggestions for modulators and power supplies.

As the Command units are still available from disposal sources this book should be invaluable for those Amateurs who are looking for conversion data.

Several articles on t.v. proofing Command transmitters are included which would be of great assistance in laying the t.v. bug.

All in all a very handy book to have in the Amateur library.

Publishers, Cowan Publishing Corp., New York. Australian price 19/6 plus 1/- postage. Our copy from McGill's Authorised Newsagency, 183 Elizabeth St., Melbourne, and Technical Book and Magazine, Co., 295 Swan St., Melbourne.



BINDERS

for

"AMATEUR RADIO"

★ Solid Cover bound in black Fabrex with wire attachment for easy filing of copies.

Price 16/6 each

POSTAGE EXTRA:

Victoria 1/9; Interstate 3/-.

NORMAN BROS. PTY. LTD.

60 ELIZABETH STREET, MELBOURNE, VIC.

THE INSTANT R.F. INDICATOR

K. B. POUNSETT,* VK2AQJ

THIS very handy item of test equipment is as simple to make as a cup of instant-coffee and takes less time. You need not have to wait for the water to boil! In addition to this, the indication is instantaneous compared to a thermo-couple r.f. meter which always lags that critical adjustment one is making. The instrument is by no means a new idea, it is probably a lot older than I am. Why it does not enjoy a greater degree of popularity amongst the fraternity is a mystery.

Three components are all that are needed, an r.f. choke, a crystal diode and a meter of about 1 mA. full-scale deflection. A more sensitive meter can be used but care must be taken not to overload it. My indicator was mounted in a small metal box that I made several years ago and is just large enough to take the three components. A pin-jack at the rear serves as an antenna connector. If you wish, you may add a phone jack as it may then be used as a modulation monitor if you still use a.m.

oscillators are working. Also r.f. on house wiring, piping and other places, such as t.v. and b.c. antennae, can be detected. Recently I had need to cure instability in a 14 Mc. class A driver amplifier in my s.s.b. rig. The pick-up wire was placed near the plate circuit of the amplifier and without drive being applied, the meter showed that r.f. was present. By applying a few general-rule remedies, I was soon able to effect a cure.

For the Ham who likes to experiment with beam and mobile antennae, this instrument can be used as a field

strength meter, with excellent results, especially if a 100 μ A. movement is used, as this greatly increases the sensitivity. Standing waves can also be investigated on feeder lines if you can reach that high! It can also be used as an r.f. indicator when neutralising an amplifier, BUT do not forget to remove the high voltage from the plate tank.

No doubt there are other instances that I do not call to mind, but if you ever have reason to detect the presence of r.f., this is the cheapest way out. It will cost you less if you use your multi-meter as the indicator, but I prefer to use the separate meter as I use the Instant R.F. Meter as an ON-THE-AIR indicator.

2nd ANNUAL CONVENTION OF WIRELESS INSTITUTE OF AUS.

Held at Perth, W.A., during August, 1925



Back Row (left to right): W. Phipps, VK6WP, Queensland Representative; W. E. Coxon, VK6AG; A. E. Stevens, VK6BN; F. H. Goldsmith, Official Reporter; J. C. W. Park, VK6BB, Hon. Secretary; F. H. Narraway, Hon. Treasurer. Front Row (left to right): P. Oakley Fysh, VK7PF, Tasmania; Jermyn Masters, VK3LM, Vic.; B. M. Holt, M.I.E.S. (Eng.), Chairman, President W.A. Div.; H. A. Lowe, VK2CX, New South Wales; Clement E. Ames, VK5AV, Sth. Aus.

U.S.S.R. INTERNATIONAL C.W. CONTEST

Short wave Radio Amateurs of the world are invited to take part in this Contest organised by the U.S.S.R. Central Radio Club. There is a listeners' section referred to as "Observation."

A Radio Amateur of any country should score as many points as he can for contacts with Radio Amateurs from different countries, participating in the Contest, or for observations of contacts established between other Amateurs.

Time of the Contest will be 2100 GMT on May 8 to 0900 GMT on May 10, 1959, on 28, 21, 14, 7 and 3.5 Mc. bands, on telegraphy only.

All participants should exchange six-digit control numbers made up of RST and the ordinal number of the radio contact, e.g. 590001. General call sign during the Contest will be CQM (Psece).

Only one radio contact with the same radio station will be taken into consideration. In the case of observation, each radio station participating in the Contest may only be logged once. Contacts and observations within the

same populated area will be disregarded. The list of countries is that internationally used by Radio Amateurs.

The results obtained by each Radio Amateur in the Contest will be appreciated by the number of points scored for contacts with Radio Amateurs from foreign countries, including his own country, or for observations of contacts between other Radio Amateurs. Each contact (observation) will yield one point. The total number of points gained by a participant will be multiplied by the number of countries he established contacts with, or which contacts he observed. Awards will be issued to winner in each country, likewise for listeners' section.

Logs should be mailed to the Chief Judging Board not later than May 13, 1959. Address: Post Office Box 101, Moscow, U.S.S.R.

Logs to include call sign, name, country, the town of station (watts), antenna, receiver, and made out in seven columns thus: Date, band, time, station worked, number received, number sent, points. At foot of page: number of points for contacts, number of countries, total number of points, Signature and date. Listeners should not fill in column 6 (that of number sent).

ANTENNA
3' to 6'

XTAL DIODE

RFC

METER

THE INSTANT R.F.
INDICATOR


The uses to which this instrument can be put are many. It can be used as an output meter for the transmitter and if used in the same spot in the shack and with the same length of pick-up wire, it will show any changes in your transmitter or antenna system from day to day. I have found that used as an output meter, the transmitter and antenna coupler can be tuned to squeeze the last drop of r.f. from the equipment. It can also show if the various combinations to which one can tune a pi-coupler are putting out r.f. or not.

I have also found it most useful in tuning up my s.s.b. equipment. By introducing a small amount of tone into the speech input and aligning all the circuits for maximum output, it is a very positive indication that the transmitter is delivering the goods. I use d.c. meters mainly to remain within the safe ratings of the tubes and to stay under the legal limit.

In receivers and other equipment, it can give indications that the various

* 22 Selfert Centre, Queanbeyan, N.S.W.

Slim... trim...
and silver bright!



AWV 110° PICTURE TUBES

... give your TV set designs the new look!

Throughout the fashion centres of the world, heads are turned towards the new "slim . . . trim" look. Manufacturers of TV sets who realize the power of female fashion trends, are designing lighter-weight, slimmer TV cabinets. To enable set manufacturers to maintain the highest standards of quality, AWV have introduced 110° picture tubes into the Radiotron range.

AWV's "straight" electron-gun is designed to minimize deflection distortion—and eliminate the need for an ion-trap magnet. Inches shorter in length than 90° deflection types having the same faceplate, AWV 110° deflection picture tubes with super-aluminizing produce bright high-contrast pictures.



AMALGAMATED WIRELESS VALVE COMPANY PTY. LTD.

47 YORK ST., SYDNEY


THE "MACRON" CRYSTAL TURNOVER PLAYER CARTRIDGE TYPE H.F.11

Made in Australia to suit Australian conditions

by MACRON ELECTRONICS PROPRIETARY LIMITED, 54 High Street, Glen Iris, Victoria

LET US LOOK AT THE FACTS:

- ★ Clip-in insert. Can be replaced without removal of mounting bracket.
- ★ Half inch and centre mounting interchangeable with standard arms.
- ★ Robust construction with positive positioning for "Standard" and "Longplay" positions.
- ★ Non-hygroscopic adhesives used throughout in the manufacture of the crystal element.



- ★ Slip-in Sapphire styli, interchangeable with standard makes.
- ★ Replacement styli available, also fit other standard cartridges.
- ★ High compliance, which ensures good tracking, thus resulting in low record wear.
- ★ Wide frequency response, enabling the utmost realism from modern wide-range recordings.
- ★ Attractively and safely packed in sealed clear-plastic container.

AGENTS: D. K. NORTHOVER
115 Murray Street, PERTH, W.A.

NEIL MULLER LTD.
8 Arthur Street, UNLEY, S.A.

JACOBY, MITCHELL & CO. PTY. LTD.
469 Kent Stret, SYDNEY, N.S.W.

Marketed by ZEPHYR PRODUCTS PTY. LTD., 58 HIGH STREET, GLEN IRIS, S.E.6, VICTORIA



TRIMAX IS WAY AHEAD IN RELIABILITY PERFORMANCE & QUALITY!

Choose TRIMAX because exhaustive technical research, modern methods of manufacture and rigid performance tests guarantee you a thoroughly reliable product. Our range includes—

- IGNITION Transformers
- POWER Transformers
- AUDIO Transformers
- CURRENT Transformers
- AUDIO Amplifiers
- POWER Amplifiers
- FADERS & Gain Controls
- POWER & AUDIO CHOKES
- ELECTRICAL CONNECTORS
- MICROPHONE STANDS
- TEST EQUIPMENT
- SOLENOIDS
- TV & RADIO Protective Metal Work, etc.



AGENTS IN ALL STATES

TRIMAX TRANSFORMERS Pty. Ltd.

CNR. WILLIAMS RD. & CHARLES ST., NORTH COBURG, VIC. Phone: FL 1203

CORRESPONDENCE

Any opinion expressed under this heading is the individual opinion of the writer and does not necessarily coincide with that of the publishers.

TRANSISTOR DX

Editor "A.R." Dear Sir,

You may be interested to hear of a QSO which was well considered a record. During the evening of April 3, 1959, I was in contact with VK3AN on approx. 7005 Kc. and about 8.15 p.m. when he asked me to have a listen for his small circuit two-stage transistor transmitter which was operating from a 6 volt supply. The input to the final was 3.6 (three and six) mW. Surprisingly good they were, was calling me and coming through at RST 4/5-4-9 just like a weak "W".

Alan VK3AN was pretty excited and as for me, well I took me back to the old days of 1925 when an A27V 1 used to work with my UV199 and 50 volt "B" battery.

To keep the record straight I told Alan to ask me a question on his transistor rig just to see how well it really was going out, and when to his question, "How old are you?" I came back with "Fifty, hi, hi, hi, I could almost see him pointing his finger at the door."

Now, Mr. Editor, I must say that this little episode on "Old 40" gave me much satisfaction than a new country on 20 and proves that in Amateur Radio, the unexpected is the pathway turning up. Somehow I think it will be a sorry day when there are no more "Key pounders" left in the ranks!!

—Ted Cawthron, VK3JE.

THAT WORD "HAM"

Secretary, Federal Executive, W.I.A.

Dear Sir,
I am pleased to see, by current newspaper publicity, that the Institute has decided to set its own course of action and depart from what has been all too long the policy of the Radio Societies throughout the world for the past 30 years or more—I refer to the use of the word "Ham".

Whilst I disagree with the Institute decision, it is refreshing to see that it is willing to make decisions of this nature.

Now, PERHAPS, something might be done in regard to the list of countries for the DXCC, which the W.I.A. stands on its own—years behind the times.

—Alan G. Brown, VK3CX.

DX OPERATING

Editor "A.R." Dear Sir,

Referring to your remarks in April "A.R." it is not correct to describe present day world DXCC working as an "obsolescence". Rather it is a very intelligent phase of Amateur Radio. DX has not "killed short range, friendly, casual contacts" either. Your quotation may have applied in the U.S.A. in 1925 when it was written, but not in 1959.

Every Amateur is entitled to choose whatever level of activity appeals to him. Maybe in 1926 it was practicable to use the language in the but not in 1959.

A study of present day DX operating provides a wide view to which any Amateur may wish to confine his activities and it is most important to remember that the DX bands are provided and should be used for their primary purpose. When not open for DX, these bands are often useless for local contacts.

Your article contends that "local, friendly contacts are being crowded out of the bands. Amateur body, etc." in 1959. Now, extend your idea to present day DX and you have the 1959 world-wide version.

As to the A.R.R.L. as your authority (with which I entirely agree), may I elaborate on the theme?

Much has been written in "A.R." on the subject of DXCC Rules, and in my view the only reference that came to the point was by the Awards Manager that an attempt was being made to obtain uniformity through the I.A.R.U. I believe this has failed.

There is only one real approach to this matter, and that is uniformity with the present A.R.R.L. I am not influenced by any argument that we cannot have their Rules or that our DXCC Rules are of necessity something different. The A.R.R.L. Rules are the only source of law based, always up to date, and administered by experts. They are treated as standards by Amateurs all over the world. It is a reasonable thing to do is to arrange for uniformity with A.R.R.L. as soon as possible and I feel certain that persons who wish to operate will operate. No other course will finally settle the matter.

—A. Kiselek, VK3KB.

Editor "A.R." Dear Sir,

Could I be permitted at this late stage to say a few words on the controversial subject of the countries list and DXCC. Whilst appreciating Alan Brown's views on the matter of the DXCC, I am afraid I must agree with Frank 2QL. The DXCC is not original, there should be only the one award of this nature in the world, as there would be a standardised list of countries. Maybe the present A.R.R.L. countries list is a little overdone, but I am sure that anyone with an ounce of common sense will agree that the two organisations should get together on the subject (if they have not already done so) and thrash the matter out. It could be done if both parties were willing to listen to reason and give and take a little.

On the subject of the Australian DXCC, I would suggest that it be scrapped without further ado, and a purely Australian award, covering the working of all States, with a set number of contacts for each State according to size be issued. In this way we would be doing something original and leaving the DXCC where it came from. I would suggest also that in conclusion of such an award, a similar one for s.w.l.'s throughout the world be issued.

For the benefit of s.w.l.'s who may be new to this hobby of ours, the listers equivalent of the DXCC is issued by the L.S.W.L. to their members only.

—Don Grantley, BERS1002.

HELP WANTED

Appeals have poured in from many countries for copies of the October 1958 issue of "A.R." This issue is out of print. Therefore we appeal to all Transmitting Amateurs, non-active members, and short wave listeners to forward any copy which they may have to the Editor. Your contribution in so doing would help our overseas friends and would be greatly appreciated.

50 Mc. W.A.S.

Editor "A.R." Dear Sir,

I support the opinion of Bill Rusby that, with the continued absence of a 6 metre operator in the Northern Territory, the 50 Mc. W.A.S. must remain impossible to acquire.

It was my misfortune to attend a Sydney v.h.f. meeting three years ago when this matter was discussed. I recall that the floor was firmly held by veteran 20 metre operators, possessors of an abundance of DX QSL cards and certificates who declared that: (a) There were no more 1.6 Mc. W.A.S. operators, (b) a guided person who sought the 50 Mc. W.A.S. should not be given an easy task, (c) Antarctica should be the last resort for N.T. with Fiji thrown in for good measure.

The real 8 metre operators sat quietly and listened, preferring to preserve their vocal cords for use on the band, and quietly resolving to attend the next Lawson convention. I am sure those who have travelled the longest distance or the shortest distance, or any distance must receive an award.

It is morally wrong that, in particular, the newcomer, who has put hours of endeavour into building gear, listening and calling should seek a certificate in return for his efforts and which he has earned on account of official ineptitude.

In reply to a letter to Melbourne regarding W.I.A. Certificates, I was asked if I would care to submit a design for a new one. Must one be a fisherman to be allowed to eat fish? If we, in our hundreds, are lacking artistic ability, let us submit the design to the artist!

The position in our countries is clear. The attainable W.A.D.N.Z. requires four QSL cards or letters of confirmation, and if neither is forthcoming, N.Z.A.R.T. has informed me that they will help in obtaining the certificate. A.D. is equally possible. Perhaps some 2L and JA operators would like to acquire the 50 Mc. W.A.S. band.

If this award is really defunct, then, by all means, let us inscribe those names on a marble slab and deposit it in the appropriate place.

—H. A. F. Rofe, VK3HE.

Editor "A.R." Dear Sir,

I fully agree with the sentiments expressed by VK3JR in the April issue of the magazine. It is most frustrating to work hard for a 50 Mc. W.A.S. and then find that the N.T. is not possible.

One solution would be to exclude the Territory as a necessary State, but this makes things too easy. After all, if an award is easy to get it loses value and those who win the award would not be the same. It is most difficult for a time. They solved the problem by encouraging Amateurs in the area to come on 60 Mc. Can't we do the same, and the next time around have to be to organise a DXpedition (they appear to be fashionable now) and then at least some names could be added to that list of 17.

I feel that on no account should the award be changed—either awarded in Victoria or New South Wales, if this is done. Since the N.T. is still there, we should try and get some representation from there on 50 Mc.

I'm sure Mr. Rusby, when you finally do that elusive VK5/N.T. you will appreciate that certificate much more than if you got one without N.T. now.

Have we any takers for a 50 Mc. operator in N.T. or for a DXpedition to Alice Springs or places north?

—David Rankin, VK3ZAQ.

40 METRE DX

Editor "A.R." Dear Sir,

It is very gratifying to a short wave listener when he is able to tune in and just down some DX, but it is more so when he has been so much sought after signals could be heard emanating from the 40 metre portion of the spectrum. But such has been the case in the few weeks that I have focused my attention (and receiver) on that band. I do not know if it is due to the publicity given to 40 metres but I have heard a lot of DX, but the results are there. So is the QRM, but with a bit of patience the good ones can be readily logged, also no doubt they could be heard by those who have not focused their ears on it. This applies also to the novice segment of 40 metres. I do a lot of novice logging, and I find that when they come back from the lads (many of them only 14 or so), there is more often than not a comment asking for, or begging a shed with a VK as they never heard one. Maybe they cannot read a few VKs I have heard calling them due to their crowded conditions, but whatever the cause I would ask any of the DX guys to spare the time, spare a little of it for some of these eager kids, and who knows, you may even have a new DXing State.

Reverting again to general DX on 40 metres, I have heard some 25 countries, plus all American call areas in recent weeks, and I am sure my friend BERS1002 has heard double that amount. Which all goes to prove that the DX is there. As for local calls, there has been an outcry about the lack of activity, but although there is slack during normal working hours, there are always those few who can get on the air and do. And in the evenings and at weekends, there is no getting to bed. An Amateur is freed of his daily toil, then I would venture to suggest that the band is more than comfortably occupied. It must be realised that this QRM and the DX guys are the two largest States (as far as Amateur population is concerned) and of course get more stations than a Melbourne or Sydney listener would.

But admitting that many of our members operate on other bands, others are exclusively on 40 metres. What are the other 1000 or so members of the VK2 Division alone? Surely if even another five per cent. of the DX Division were to be interested in tracking in, then we may have some argument for retaining the band, which I for one could not see well used. I would like to see doing their part to bring the band to the fore in the limited scope which we have, so how about some of the listening lads coming into action and helping to hold the band open at all possible at this late date.

—Don Grantley, BERS1002.

.....

MODIFICATIONS TO NO. 122 SET

It was intended to publish in this issue some modifications to the No. 122 Set. At the moment a few more details were obtained which necessitated further tests being carried out. If you have done any modifications to the No. 122 Set, please send your suggestions to the Editor so that they can be included in the list to be published in a forthcoming issue.

AMATEUR CALL SIGNS

FOR MONTH OF FEBRUARY, 1959

NEW CALL SIGNS

VK— New South Wales
 2ACA—P. C. Seaberg, 187a Beardsy St., Armidale.
 2ANY—M. W. Beck, O.T.C., Bringley.
 2AOX—H. Cox, 380 Lugarno Pde., Lugarno.
 2AQW—L. A. Wade, 8 Edgar St., Auburn.
 2ATV—K. R. Virtue, 31 Union St., Sth. Lismore.
 2AUN—J. G. Moss, 32 Fitzpatrick Ave., Frenchs Forest.
 2AWE—W. R. A. Evans, 10a Bradley Ave., Bellevue Hill.
 2AXR—A. Davis-Rice, 7 Raymond Rd., Neutral Bay.
 2ZJH—W. J. Hart, 83 Muston St., Mosman.

Victoria
 3EP—M. R. Robinson, 9 Springfield Rd., Box Hill.
 3HN—W. H. Berry, 52 McNamara St., West Preston.
 3NQ—G. E. Heinrichs, 49 Bernards St., Cheltenham.
 3UAU—M. C. Carpenter, 741 Elgar Rd., Doncaster.
 3ZDT—P. G. Thorne, 10 Dickinson St., Glenroy.
 3ZEL—J. W. Spicer, 43 Stephenson Rd., Mt. Waverley.
 3ZHH—K. T. Hughes, 208 Albert St., Sebastopol, Ballarat.
 3ZIM—J. F. McKenzie, R.M.D., Toolamba.

Queensland
 4GP—D. A. Crowley, 145 Nudgee Rd., Doomben, Brisbane.
 4HM—E. D. Marriage, Block 10, Nunduberra.
 4ZCD—R. L. Bishop, 38 Minnie St., Stafford.

South Australia
 5EB—A. Hayvatt, Carey's Gully Rd., Stirling East.
 5KT—R. A. Fletcher, 22 Holden Ave., Woodside West.
 5ZDD—K. Bartussek, 16 Maitland St., Mitcham.
 5ZDH—N. J. Pollard, Lot 11, Brian St., Teatree Gully.
 5ZDJ—W. J. Harwood, 53 Davenport Ter., Wayville.

Western Australia
 6DC—H. E. Cole, 80 McDonald St., Como.
 6YM—West Australia Y.H. Group (Inc.), 29 Central Rd., Kalamunda.

Tasmania
 7XX—D. B. McKelvey, 46 Athleen Ave., Lenah Valley.

Antarctica
 9AW—A. W. Sawert, Mawson.
 9EM—E. L. Macklin, Mawson.
 9VH—F. A. Van Huisen, Mawson.

CHANGES OF ADDRESS

VK— New South Wales
 2HT—H. A. Harris (Rev.), The Manse, 46 Queens Rd., Brighton.
 2ID—F. T. Adams, 21a Caloola Rd., Wentworthville.
 2QU—G. A. Waddock, 3 Wrights Rd., Lithgow.
 2TE—A. A. Boyd, Cor. Corowa and Aldinga Sts., Blacksmith.
 2ALG—J. A. Ackerman, "Idiewild," 191c North Rocks Rd., North Rocks.
 2ASI—J. J. Sullivan, 13 Brooks St., Newcastle.
 2AXK—D. A. Kinsella, Christian Bros. College, The Boulevard, Lewisham.
 2AYR (previously 2AXR)—D. Robinson, 5 William St., Naranderra.
 2ZAD—B. Holland, The Vicarage, Railway St., Belconnen.

Victoria
 3AJ—R. G. House, 54 Railway Cres., Moorabbin.
 3EG—G. D. F. Clarke, 3s Alwys St., Mitcham.
 3IM—J. L. Young, Lot 4, Sesame St., Mount Waverley.
 3KI—T. P. Kirby, 61 Station St., Lower Ferntree Gully.
 3PE—R. E. Elkin, 200 Johnston St., Collingwood.
 3UD—I. H. Denholm, 751 Thomas St., East Brighton.
 3UW—R. B. Wallace, Sgis Quarters, 1 C.O.D., Bundanna.
 3WI—W. A. (Vic. Div.), Station: 478 Victoria Pde., East Melbourne; Postal: P.O. Box 38, East Melbourne.
 3XZ—R. M. McGregor, 65 McDonald St., Morrisville.
 3ALO—A. L. Lowe, 4 McCracken Ave., Blackburn South.
 3AOG—T. V. Savers, 88 Price St., Essendon.
 3ZAF—P. Furr, 106 Korolt St., Warrnambool.
 3ZGA—L. A. Maschetti, 8 Wright St., Laverton.

Queensland

4EP—E. J. Parow (Rev.), Station: Spencer St., Gatton; Postal: C/o P.O., Gatton.
 4KA—K. A. Smith, 6 Lacon St., Holland Park, Brisbane.
 4KC—W. Beck, Upper Gay Ter., Caloundra.
 4OM—M. N. O'Burill, 27 Humphrey St., West End, Townsville.
 4SD—A. H. Sharland, Station: 44 Bolsover St., Rockhampton; Postal: C/o D.C.A., Aerodrome, Rockhampton.
 4XS—L. J. Saller, "La Novia," Wengenville, via Kingaroy.
 4ZBD—D. B. Hughes, 60 Mayne Rd., Bowen Hills, Brisbane.

South Australia

5FM—H. N. Bowman, Main Ter., Crystal Brook.
 5FP—J. C. Purcell, Main South Rd., Darlington.
 5IJ—J. R. Lewis, 79 Henley Beach Rd., Mile End.
 5PO—A. M. Perriman, Flat 4, 361 South Rd., Black Forest.
 5VV—D. Wilson, Station 5AU, Port Augusta.
 5WA—C. J. Waterlander, 48 Victoria Rd., Birkenhead.
 5ZAF—D. G. Pfeiffer, 8 Hyde Ter., Tumore.

Western Australia

6AJ—A. J. Jeffrey, Flat 1, 16 Forrest St., South Perth.
 6JE—C. R. Elsbury, Nornalup.
 6IW—J. P. Watson, 118 Guger St., Claremont.
 6SF—J. C. Watson, Station: Portable on board vessel "Silver Fin"; Station: 118 Guger St., Claremont.
 6ZAA—W. J. Howse, Flat 5, 1198 Albany Highway, Bentley.
 6ZBJ—B. J. Clarke, 210 Carr St., West Perth.

Territory of Papua and New Guinea

9DT—D. G. Taylor, Boboro Ave., Boroko, Port Moresby.
 9HI—L. Ruchel, Budoa Ave., Boroko, Port Moresby.

CANOELED CALL SIGNS

VK— New South Wales
 2AW—A. W. Dye.
 2IJ—D. A. Crowley.
 2TI—H. J. Trick.
 2AB—A. A. Hayvatt.
 2AOP—M. R. Robinson.
 2ATZ—L. Zelnudor.
 2AWJ—K. J. C. Wordsworth.

Victoria

3KL—W. H. B. Syderff.
 3ATV—J. A. Hampel.
 4HO—M. S. Robinson.
 4GB—J. P. Baker.
 4CX—H. Cox.
 4ZBN—N. Bignell.

South Australia

5PQ—P. Muscat.
 5FC—F. G. Clarke.
 5ZAJ—J. W. Jacobs.
 5AH—A. J. Humphries.

Antarctica

0AA—W. J. Stewart.
 0AC—C. S. Nilsson.
 0AS—A. H. Sandilands.
 0AT—E. S. Trigwell.
 0CC—C. Cook.
 0DA—D. A. Brown.
 0DC—D. R. L. Callow.
 0HK—H. Knox.
 0IJ—D. H. Twigg.
 0KC—P. K. Chapman.
 0PC—P. E. Clemence.
 0PK—P. King.
 0PT—P. B. Turner.
 0RB—R. A. Borland.
 0RO—R. E. T. Oldfield.
 0RR—R. H. Arnold.
 0TC—T. J. Cordwell.
 0GN—B. E. Shaw.

PERMITS GRANTED FOR TELEVISION EXPERIMENTS

VK— New South Wales
 2AVQ/T—R. E. McKew, 19 McKew St., Maroubra Beach.
Victoria
 3AT/T—J. W. Walters, 221 Prospect Hill Rd., Surrey Hills.
 3ZIE/T—D. L. Seedman, 49 Cookson St., Camberwell.
Queensland
 4GT/T—W. G. Heaton, 8 Gibbon St., East Ipswich.

PREDICTION CHART, MAY 1959

E. AUSTRALIA — W. EUROPE S.R. Me.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
GMT													28
21													21
14													14
7													7
E. AUSTRALIA — W. EUROPE L.R.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — MEDITERRANEAN													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — N.W. U.S.A.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — N.E. U.S.A. S.R.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — N.E. U.S.A. L.R.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — CENTRAL AMERICA													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — S. AFRICA													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
E. AUSTRALIA — FAR EAST													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
W. AUSTRALIA — W. EUROPE													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
W. AUSTRALIA — N.W. U.S.A.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
W. AUSTRALIA — N.E. U.S.A.													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
W. AUSTRALIA — S. AFRICA													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7
W. AUSTRALIA — FAR EAST													45
0	2	4	6	8	10	12	14	16	18	20	22	24	45
28													28
21													21
14													14
7													7

HEATH KITS HERE

BROUGHT TO YOU BY **WARBURTON FRANKI**


World-famous American Kits that enable you to
DO-IT-YOURSELF and **SAVE**

Introducing . . .

THE WORLD'S LARGEST-SELLING

V.T.V.M. KIT . . .

HEATH KIT V-7A



- Large, Easy-to-Read $4\frac{1}{2}''$ 200 ua. Meter.
- 1% Precision Resistors for High Accuracy.
- Etched Circuit Board for Easier construction and Stable Performance.

MEASUREMENTS: This multi-function V.T.V.M. will measure A.C. voltage (R.M.S.) or A.C. voltage (peak-to-peak), D.C. voltage and resistance. There are seven A.C. (R.M.S.) and D.C. voltage ranges of 0-1.5, 5, 15, 150, 500, 1,500. In addition, there are seven peak-to-peak A.C. ranges of 0-4, 14, 40, 140, 400, 1,400 and 4,000. Seven ohmmeter ranges provide multiplying factors of X1, X10, X100, X1,000, X10K,

X100K and X1 megohm. Measures 0.1 ohm to 1,000 megohms. A zero-centre scale db. range is also provided. Separate A.C. and D.C. test leads and probes are provided for circuit efficiency and a polarity reversing switch is employed for D.C. operation, making it unnecessary to reverse the test leads.

Simple Instructions tell you all you need to know—Guarantee Success

● **INFORMATION PACKED CONSTRUCTION MANUAL**
Everything you need to know is contained in this clearly written text. It has been especially designed to take you through every phase of assembly with ease, even though you may be a complete newcomer to electronics.

● **EXPLANATION OF PROPER SOLDERING PROCEDURE**
Instructions begin at the very beginning, and even illustrate and describe the proper procedure for making good solder connections. You can't go wrong if you follow the directions.

● **STEP-BY-STEP ASSEMBLY INSTRUCTIONS**

Read the step . . . perform the operation . . . and check it off—it's just that simple! These plainly-worded, easy-to-follow steps cover every assembly operation, and let you rely on our experience in kit construction.

● **EASY-TO-FOLLOW PICTORIAL DIAGRAMS**

You'll get plenty of these detailed pictorial diagrams in your Heathkit construction manual to show where each and every wire and part is to be placed. Everything you do is spelled out in pictures, so you can't miss.

● **LEARN-BY-DOING EXPERIENCE FOR ALL AGES**

Kit construction is not only fun—but it is educational too! You learn about radio and electronic parts and circuits as you build your own equipment . . . and this activity can make a fascinating hobby.

● **INSURED SUCCESS FOR FAMILY FUN**

You can be sure of successful kit construction when you buy a Heathkit because of the thought and care that goes into every construction manual, and the fine quality of the parts supplied.

PRICE: £27/10/- + 12½% S.T. (Post: Vic. 2/9; Int. 6/-)

EASIEST TERMS: Only £6/18/9 Deposit and 45/- Monthly for 12 months

WARBURTON FRANKI

359 LONSDALE ST., MELBOURNE. MU 8351
OPEN SAT. MORNINGS • TRADE ALSO SUPPLIED

Industries

I.T.U. FUND DONATIONS

The Fund to raise money to send a W.I.A. delegate to Geneva later this year representing the Radio Amateurs of Australia is still open for subscriptions. Our original objective of £2,500 has not yet been reached, so that extra efforts are called for by individual Divisions and Radio Amateurs alike. Further efforts by way of official broadcasts, fund raising schemes by disposal of gear, etc., in Divisions and individual approaches to those who have yet to subscribe will all help—every little helps no matter how small. Many have already subscribed two and three times. If YOU are as yet a non-subscriber do not leave it to your fellow Amateur to subscribe for you—subscribe yourself—the small amount requested is little enough to pay for the benefits that can accrue from our delegate's presence at the I.T.U.

Send your donations preferably direct to—
The Federal Secretary,
Wireless Institute of Australia
251HW, G.P.O.
Melbourne, C.I. Vic.

Cheques, money orders and postal notes should be made payable to the "Wireless Institute of Australia (I.T.U. Fund)".

A further list of subscribers to the end of March are as below—

- £27/10/8:
N.S.W. Division, VK2WI (Disposals sale).
- £25/9/8:
Hong Kong Amateur Radio, Transmitting Station.
- £18/11/8:
E. L. Andrews, VK2BO.
- £10/18/8:
S.A. Division, VK5WI (Disposals sale).
- VK6SR:
H. Taylor, VK2TC; Radio Society of W.A.
- VK6SR:
G. Cissold, VK2AJI; H. R. Carter, VK2HC; R. W. G. Weber, VK5ZAX.
- £3/3/9:
S. W. Grimmer, VK2ZW; L. L. Brennan, VK2AMU; I. Archibald, VK2KU.
- £3/9/8:
Blue Mountains Radio Club.
- £2/10/8:
Dr. R. L. Douglas, VK2ON; F. R. Whitfield, VK6XZ.
- £2/3/9:
S. G. Hall, VK2AGH; F. M. Orvad, VK2AHX; H. P. Jackson, VK2AHZ; W. O. Yates, VK2AWY; W. L. Nye, VK2XU; H. Chapman, VK2GU; J. L. Lewis, VK2HW; W. H. Ross, VK2UT; G. W. Houghton, VK2LV.
- £2/9/8:
G. L. Barthold, VK2BT; G. Wilde, VK5GX; K. L. John, VK5WL; J. Douglas, WIA-12012.
- £1/10/8:
R. H. Rayner, VK2DO; L. Carpenter, VK2ZCC; L. Abraham-Wilms, VK2AB; J. W. Battye, VK2JB; J. Allan, ex-VK2EI; I. D. Stockton, VK2AAJ (£1/8/0).
- VK2SR:
G. Thornthwaite, VK2AZO; T. M. S. Spence, VK2JH.
- £1/10/8:
W. E. Mill, VK2AIV; Dr. J. K. Fullagar, VK2AL; M. D. Wilson, VK2ALM; H. Ruck, ex-VK2UO; W. Stewart, VK2AOV; T. Barlow, VK2QG; G. G. Scott, VK2XS; C. J. Chapman, VK2CZ; J. S. Beaton, VK2ZE; V. S. Thomas, VK2PT; M. Morrison, VK2AM; L. Raebel, VK2WH; R. Hooper, VK2RR.
- £1/9/8:
M. C. Layburt, VK2IML.
- £1/9/8:
J. Howard, VK2AMH; N. Nottingham, VK2HN; R. Matthews, VK2WF; S. Gibbs, VK2GC; W. Zech, VK2ACP; P. Pearson, VK2ACQ; C. Wilkins, VK2ALB; E. Olds, VK2BY; E. Kincher, VK2AD; R. Wood, VK2AMA; H. Booth, VK2AID; R. Overton, VK2ARO; A. Bowman, VK2ASB; J. Reed, VK2JR; H. Capsey, VK2CQ; J. Howie, VK2AYH; N. Beard, VK2AL; F. Fisher, VK2WF; M. Sobel, VK2OT; J. Kearnes, VK2AKC; J. Virtue, VK2JR; J. Woolnough, VK2GW; L. Baber, VK2GR; W. Smith, VK2GK; R. Goddard, VK2ARG; A. Chishill, VK2ANU; R. Goddard, VK2ARG; A.

ZLIPPJ—SCOUT JAMBOREE'S STATION

By J. F. Freeman, ZL1VA, President N.Z.A.R.T.

The original planning of the Pan Pacific Scout Jamboree's own Amateur Radio Station had provided for the station to be set up under canvas in Cornwall Park, One Tree Hill, Auckland, and from a radio point of view this would have been most desirable. However, plans for the Jamboree developed it became apparent to the Boy Scout Association that a large scale Exhibition was desirable under cover and so our plans were changed to fit in with this altered thinking and ZLIPPJ was found a home in the special broadcasting studio in one of the permanent buildings at the Jamboree grounds, the Jamboree Headquarters. This was a very satisfactory arrangement as we had a weather-proof, comfortable station with power and antenna facilities provided and were in a prominent position from a public relations point of view. The main worry was, of course, the much higher electrical noise level encountered, but now that the Jamboree is over it is felt that this disadvantage was outweighed by the fact that the location enabled most members of the general public as well as Scouts, to visit the station and learn more of our hobby.

The station operated on all Amateur bands from 3.5 Mc. down to 50 Mc. and used four modes of transmission—c.w., a.m. phone, s.s.b. phone, and radio teletype.

Transmitters used were a 40 mc ZLIANKR rack mounted tx was used, comprising a Geloso v.f.o. and 6146 final amp. with a multi-band tank. Associated with this was a ZLI-1AKVZ1 transmitter which included a 20 mc printer.

A 30 mc ZLIARH's compact s.b. tx, which incorporated an Earthstar electronic Type A4 exciter, did service on this band. The p.e.p. was about 100 watts.

15 and 10 mc. On these bands two sets were used, ZLIAPW's Hf. (Geloso v.f.o. and 6146 final) with a p-ni-tet tank and multi-band aerial tuner) and ZLIKQ's compact table-topper (Geloso v.f.o. followed by a QV06/40 final amp.) shared the honors.

6 mc. On this band we used ZLIANKW's tx using p.p. 20T built into the same rack and using the same modulators as the 80 mc. tx mentioned above.

Receivers: Various rx's were used on the several bands. They were: Collins 85A2 (ZLIAPW), G.E.C. BRT400 (ZLIANKW), R.C.A. Arrif (ZLIANKW), National NC88 (ZLIARH), and Hartrcrafters S27 (ZLIKQ). ZLIKQ used a special home-built s.b. tx with PLAX and 6146 final, and a hand rx with PLAX in converter. Both the latter were a real credit to their owners.

Aerials: A multiplicity of aerials topped the "Manufacturers' Pavilion—many of them built "Scout fashion" with bamboo and rope! After all, the station was only on for nine days! We had 3 el. beams for 10 and for 15, and a two el. job for 6 mc. In addition, doublets were put up for 10, 20 and 80, while an 80 mc. Windom was also used for the few contacts we had on 40 mc. Most of the 20 mc. work was carried out on a ground plane.

Activities: Unfortunately the period of operation proved to be too short for many of our points of view and we did not have as many DX contacts as we hoped for. On the 3.5 Mc.

band all contacts but one were with ZL stations—one odd one was with VK2AD in Norfolk on s.b. On 7 Mc. 8 m.m. activity was the radio teletype circuit which operated twice a day to ZL1WB in Whangarei. A few other c.w. and phone contacts were had on this band mainly within New Zealand.

As was to be expected, the main DX activity took place on 20 and 15 mc with 10 mc active to a lesser degree due to the conditions prevailing in the earlier part of the week. It was the s.b. tx on 20 mc which brought in most of the DX but as the bands opened up we were the honours tended to become more even.

V.h.f. activity was limited to 6 mc. Most contacts were with ZLs but we were able to work ZL1AGY in Invercargill and several VKs in Melbourne.

By the end of the week the station had had 574 contacts in 40 countries and in all continents.

The station was on the air from 1330 hours N.Z.T. on 22nd January, 1959, and closed at 0600 hours on 11th January, the contact being on 80 mc s.s.b. with ZL1AGY in Invercargill.

Alongside the ZLIPPJ stand, which was behind plate glass windows in the broadcasting building, was another stand with examples of Amateur Radio equipment—both past and present—and this stand attracted a great deal of interest among Scouts attending the Jamboree Exhibition. Possibly the greatest attraction was a Creed tape perforator upon which visitors were able to punch their own names and hear them played back on an oscillator at about 10 w.p.m.—a simple but attractive exhibit.

To conclude the story of ZLIPPJ, I feel safe in saying that the boys took part, thoroughly enjoyed it all, and Amateur Radio gained a lot of worthwhile publicity. To those 574 stations who were able to contact ZLIPPJ we wish to say that QSL cards will be contributed through the various QSL Bureaus in the near future.

V H F

(Continued from Page 10)

IGY is heard the band is open to DUL and DUB. Have heard him pounding in here, but there has been no sign of other DU signals. Perhaps reception is different down here, coincide with the DU-VK sked period. They listen for VK at both 1200 and 2300 EAST. I have not heard any other DU signals, but at his best. The more active DU stations appear to be DUGIF and DUBVVL.

For those interested in LU and other South American stations there is an f.m. station running 5kw. on 47.48 Mc. located in Argentina. One active station in India is VU2RM, but there is no further details to hand at the moment.

A newcomer to the band here is Blue 4BY, running 15w. to an 832A. v.f.o., 5 el. yag. and using both c.w. and a.m. March 8 had a good contact opening to VK2, 3 and 5 for five contacts, but still no VK6—4ZBE.

The Buderim Story—JAS made their first appearance on the band and have since been worked every day with the exception of Mar. 29 when no signals were heard. Some JA signals have been strong enough to copy without an antenna on the rise to RA. Incidentally, there was one VK/JA contact in Jan., 4HD worked JA2AB on Jan. 11 at 0800 EAST. No signals since then. K6H came in this year on Mar. 7 and are still coming in. This year contacts to Mar. 31 are KH6B BCF, H. CXC, UK 11, CNU, W3JG, KH6B, H. K6K, K6KVV/KH6. Sign. range all the way from 339 to 5 and 9 plus on phone. To KH6 had the band opens almost regularly at 1745 EAST for Phone. On March 10, 1959, K6H had their first opening of the year to ZL on the night of Mar. 30. Russ 9XK in W. Australia working ZL1VA on Mar. 31, ending Mar. 31, KH6 had good openings to LU, CE, CX and TI.

W6NLZ and W6PUZ made a welcome response for the first time this year on Mar. 30 at 0901 EAST. First QSO with 6NLZ at 0925, 289, 339, second 0938 for 589, last 1008 for 389. On Mar. 31, first contact 0938 for 389, last 1015 for 399. At 1008, sig. heard was W6ARN at 1005, his signals 339. The conclusion is that W signals are fewer, but peak signals are higher. On Mar. 31, 1008, 1015, 1025, 1035, 1045, 1055, 1105, 1115, 1125, 1135, 1145, 1155, 1205, 1215, 1225, 1235, 1245, 1255, 1305, 1315, 1325, 1335, 1345, 1355, 1405, 1415, 1425, 1435, 1445, 1455, 1505, 1515, 1525, 1535, 1545, 1555, 1605, 1615, 1625, 1635, 1645, 1655, 1705, 1715, 1725, 1735, 1745, 1755, 1805, 1815, 1825, 1835, 1845, 1855, 1905, 1915, 1925, 1935, 1945, 1955, 2005, 2015, 2025, 2035, 2045, 2055, 2105, 2115, 2125, 2135, 2145, 2155, 2205, 2215, 2225, 2235, 2245, 2255, 2305, 2315, 2325, 2335, 2345, 2355, 2405, 2415, 2425, 2435, 2445, 2455, 2505, 2515, 2525, 2535, 2545, 2555, 2605, 2615, 2625, 2635, 2645, 2655, 2705, 2715, 2725, 2735, 2745, 2755, 2805, 2815, 2825, 2835, 2845, 2855, 2905, 2915, 2925, 2935, 2945, 2955, 3005, 3015, 3025, 3035, 3045, 3055, 3105, 3115, 3125, 3135, 3145, 3155, 3205, 3215, 3225, 3235, 3245, 3255, 3305, 3315, 3325, 3335, 3345, 3355, 3405, 3415, 3425, 3435, 3445, 3455, 3505, 3515, 3525, 3535, 3545, 3555, 3605, 3615, 3625, 3635, 3645, 3655, 3705, 3715, 3725, 3735, 3745, 3755, 3805, 3815, 3825, 3835, 3845, 3855, 3905, 3915, 3925, 3935, 3945, 3955, 4005, 4015, 4025, 4035, 4045, 4055, 4105, 4115, 4125, 4135, 4145, 4155, 4205, 4215, 4225, 4235, 4245, 4255, 4305, 4315, 4325, 4335, 4345, 4355, 4405, 4415, 4425, 4435, 4445, 4455, 4505, 4515, 4525, 4535, 4545, 4555, 4605, 4615, 4625, 4635, 4645, 4655, 4705, 4715, 4725, 4735, 4745, 4755, 4805, 4815, 4825, 4835, 4845, 4855, 4905, 4915, 4925, 4935, 4945, 4955, 5005, 5015, 5025, 5035, 5045, 5055, 5105, 5115, 5125, 5135, 5145, 5155, 5205, 5215, 5225, 5235, 5245, 5255, 5305, 5315, 5325, 5335, 5345, 5355, 5405, 5415, 5425, 5435, 5445, 5455, 5505, 5515, 5525, 5535, 5545, 5555, 5605, 5615, 5625, 5635, 5645, 5655, 5705, 5715, 5725, 5735, 5745, 5755, 5805, 5815, 5825, 5835, 5845, 5855, 5905, 5915, 5925, 5935, 5945, 5955, 6005, 6015, 6025, 6035, 6045, 6055, 6105, 6115, 6125, 6135, 6145, 6155, 6205, 6215, 6225, 6235, 6245, 6255, 6305, 6315, 6325, 6335, 6345, 6355, 6405, 6415, 6425, 6435, 6445, 6455, 6505, 6515, 6525, 6535, 6545, 6555, 6605, 6615, 6625, 6635, 6645, 6655, 6705, 6715, 6725, 6735, 6745, 6755, 6805, 6815, 6825, 6835, 6845, 6855, 6905, 6915, 6925, 6935, 6945, 6955, 7005, 7015, 7025, 7035, 7045, 7055, 7105, 7115, 7125, 7135, 7145, 7155, 7205, 7215, 7225, 7235, 7245, 7255, 7305, 7315, 7325, 7335, 7345, 7355, 7405, 7415, 7425, 7435, 7445, 7455, 7505, 7515, 7525, 7535, 7545, 7555, 7605, 7615, 7625, 7635, 7645, 7655, 7705, 7715, 7725, 7735, 7745, 7755, 7805, 7815, 7825, 7835, 7845, 7855, 7905, 7915, 7925, 7935, 7945, 7955, 8005, 8015, 8025, 8035, 8045, 8055, 8105, 8115, 8125, 8135, 8145, 8155, 8205, 8215, 8225, 8235, 8245, 8255, 8305, 8315, 8325, 8335, 8345, 8355, 8405, 8415, 8425, 8435, 8445, 8455, 8505, 8515, 8525, 8535, 8545, 8555, 8605, 8615, 8625, 8635, 8645, 8655, 8705, 8715, 8725, 8735, 8745, 8755, 8805, 8815, 8825, 8835, 8845, 8855, 8905, 8915, 8925, 8935, 8945, 8955, 9005, 9015, 9025, 9035, 9045, 9055, 9105, 9115, 9125, 9135, 9145, 9155, 9205, 9215, 9225, 9235, 9245, 9255, 9305, 9315, 9325, 9335, 9345, 9355, 9405, 9415, 9425, 9435, 9445, 9455, 9505, 9515, 9525, 9535, 9545, 9555, 9605, 9615, 9625, 9635, 9645, 9655, 9705, 9715, 9725, 9735, 9745, 9755, 9805, 9815, 9825, 9835, 9845, 9855, 9905, 9915, 9925, 9935, 9945, 9955, 10005, 10015, 10025, 10035, 10045, 10055, 10105, 10115, 10125, 10135, 10145, 10155, 10205, 10215, 10225, 10235, 10245, 10255, 10305, 10315, 10325, 10335, 10345, 10355, 10405, 10415, 10425, 10435, 10445, 10455, 10505, 10515, 10525, 10535, 10545, 10555, 10605, 10615, 10625, 10635, 10645, 10655, 10705, 10715, 10725, 10735, 10745, 10755, 10805, 10815, 10825, 10835, 10845, 10855, 10905, 10915, 10925, 10935, 10945, 10955, 11005, 11015, 11025, 11035, 11045, 11055, 11105, 11115, 11125, 11135, 11145, 11155, 11205, 11215, 11225, 11235, 11245, 11255, 11305, 11315, 11325, 11335, 11345, 11355, 11405, 11415, 11425, 11435, 11445, 11455, 11505, 11515, 11525, 11535, 11545, 11555, 11605, 11615, 11625, 11635, 11645, 11655, 11705, 11715, 11725, 11735, 11745, 11755, 11805, 11815, 11825, 11835, 11845, 11855, 11905, 11915, 11925, 11935, 11945, 11955, 12005, 12015, 12025, 12035, 12045, 12055, 12105, 12115, 12125, 12135, 12145, 12155, 12205, 12215, 12225, 12235, 12245, 12255, 12305, 12315, 12325, 12335, 12345, 12355, 12405, 12415, 12425, 12435, 12445, 12455, 12505, 12515, 12525, 12535, 12545, 12555, 12605, 12615, 12625, 12635, 12645, 12655, 12705, 12715, 12725, 12735, 12745, 12755, 12805, 12815, 12825, 12835, 12845, 12855, 12905, 12915, 12925, 12935, 12945, 12955, 13005, 13015, 13025, 13035, 13045, 13055, 13105, 13115, 13125, 13135, 13145, 13155, 13205, 13215, 13225, 13233, 13245, 13255, 13305, 13315, 13325, 13333, 13345, 13355, 13405, 13415, 13425, 13433, 13445, 13455, 13505, 13515, 13525, 13533, 13545, 13555, 13605, 13615, 13625, 13633, 13645, 13655, 13705, 13715, 13725, 13733, 13745, 13755, 13805, 13815, 13825, 13833, 13845, 13855, 13905, 13915, 13922, 13933, 13945, 13955, 14005, 14015, 14022, 14033, 14045, 14055, 14105, 14115, 14122, 14133, 14145, 14155, 14205, 14215, 14222, 14233, 14245, 14255, 14305, 14315, 14322, 14333, 14345, 14355, 14405, 14415, 14422, 14433, 14445, 14455, 14505, 14515, 14522, 14533, 14545, 14555, 14605, 14615, 14622, 14633, 14645, 14655, 14705, 14715, 14722, 14733, 14745, 14755, 14805, 14815, 14822, 14833, 14845, 14855, 14905, 14915, 14922, 14933, 14945, 14955, 15005, 15015, 15022, 15033, 15045, 15055, 15105, 15115, 15122, 15133, 15145, 15155, 15205, 15215, 15222, 15233, 15245, 15255, 15305, 15315, 15322, 15333, 15345, 15355, 15405, 15415, 15422, 15433, 15445, 15455, 15505, 15515, 15522, 15533, 15545, 15555, 15605, 15615, 15622, 15633, 15645, 15655, 15705, 15715, 15722, 15733, 15745, 15755, 15805, 15815, 15822, 15833, 15845, 15855, 15905, 15915, 15922, 15933, 15945, 15955, 16005, 16015, 16022, 16033, 16045, 16055, 16105, 16115, 16122, 16133, 16145, 16155, 16205, 16215, 16222, 16233, 16245, 16255, 16305, 16315, 16322, 16333, 16345, 16355, 16405, 16415, 16422, 16433, 16445, 16455, 16505, 16515, 16522, 16533, 16545, 16555, 16605, 16615, 16622, 16633, 16645, 16655, 16705, 16715, 16722, 16733, 16745, 16755, 16805, 16815, 16822, 16833, 16845, 16855, 16905, 16915, 16922, 16933, 16945, 16955, 17005, 17015, 17022, 17033, 17045, 17055, 17105, 17115, 17122, 17133, 17145, 17155, 17205, 17215, 17222, 17233, 17245, 17255, 17305, 17315, 17322, 17333, 17345, 17355, 17405, 17415, 17422, 17433, 17445, 17455, 17505, 17515, 17522, 17533, 17545, 17555, 17605, 17615, 17622, 17633, 17645, 17655, 17705, 17715, 17722, 17733, 17745, 17755, 17805, 17815, 17822, 17833, 17845, 17855, 17905, 17915, 17922, 17933, 17945, 17955, 18005, 18015, 18022, 18033, 18045, 18055, 18105, 18115, 18122, 18133, 18145, 18155, 18205, 18215, 18222, 18233, 18245, 18255, 18305, 18315, 18322, 18333, 18345, 18355, 18405, 18415, 18422, 18433, 18445, 18455, 18505, 18515, 18522, 18533, 18545, 18555, 18605, 18615, 18622, 18633, 18645, 18655, 18705, 18715, 18722, 18733, 18745, 18755, 18805, 18815, 18822, 18833, 18845, 18855, 18905, 18915, 18922, 18933, 18945, 18955, 19005, 19015, 19022, 19033, 19045, 19055, 19105, 19115, 19122, 19133, 19145, 19155, 19205, 19215, 19222, 19233, 19245, 19255, 19305, 19315, 19322, 19333, 19345, 19355, 19405, 19415, 19422, 19433, 19445, 19455, 19505, 19515, 19522, 19533, 19545, 19555, 19605, 19615, 19622, 19633, 19645, 19655, 19705, 19715, 19722, 19733, 19745, 19755, 19805, 19815, 19822, 19833, 19845, 19855, 19905, 19915, 19922, 19933, 19945, 19955, 20005, 20015, 20022, 20033, 20045, 20055, 20105, 20115, 20122, 20133, 20145, 20155, 20205, 20215, 20222, 20233, 20245, 20255, 20305, 20315, 20322, 20333, 20345, 20355, 20405, 20415, 20422, 20433, 20445, 20455, 20505, 20515, 20522, 20533, 20545, 20555, 20605, 20615, 20622, 20633, 20645, 20655, 20705, 20715, 20722, 20733, 20745, 20755, 20805, 20815, 20822, 20833, 20845, 20855, 20905, 20915, 20922, 20933, 20945, 20955, 21005, 21015, 21022, 21033, 21045, 21055, 21105, 21115, 21122, 21133, 21145, 21155, 21205, 21215, 21222, 21233, 21245, 21255, 21305, 21315, 21322, 21333

NOTES

FEDERAL

OVERSEAS COMMENT OF LOCAL INTEREST

The following, from the R.S.G.B. "Bulletin", is of interest to all Australian Amateurs:— "So that the interests of Radio Amateurs in Region III (Asia and Australasia) shall be adequately safeguarded at the forthcoming Radio Conference in Geneva, the council of the Wireless Institute of Australia has decided to apply to the Australian Government for one of its most experienced Amateurs—Mr. J. Moyle—to be attached to the official delegation.

"The cost of sending an Amateur Radio delegate from Australia to the Geneva Conference is expected to be in the order of £A2,500, the bulk of which has already been subscribed voluntarily by public-spirited members of W.I.A. and others interested in the Amateur Radio movement in Australia. But how pleasing it is to learn from 'Break-In', the official journal of the New Zealand Association of Radio Transmitters, and from the 'News Letter' of the Hong Kong Amateur Radio Transmitting Society that members of both those organisations are also making voluntary contributions to the fund opened by the W.I.A."

FEDERAL QSL BUREAU

The C.C. (DX Hunters' Club) in Belra, Mozambique, is again staging an International DX Contest. The dates are 24 April to 25 GMT August. The contest is for both c.w. and phone. Full details have been sent to all Divisional bureaux.

A DXpedition is being undertaken by IT2GZY to the Pelagias Island. He will be active from 2000 GMT April 24 to 25 GMT August 25 for time off for meals and smoking. Due to lack of early advice his trip will be over before these notes reach the printed page. IT2GZY is called of the Pelagias Island being recognised as a new country and he hopes to be issued with the call sign IPAA or IPGAA and plans to use 4 Mc. both phone and c.w. If a new call sign is not issued to him he will use IT2GZY/IP. Address for QSLs is via IT2ITL, Box 100, Palermo, Sicily. He will secure direct replies, otherwise via Bureau.

The V.R.Z.A. have issued a Dutch DX Certificate. Requirements are contacts with 25 PA stations, with two PJ stations situate in dif-

ferent districts of the Antilles, and one PJ station. Applications with QSLs and five I.R.C. should be sent to V.R.Z.A., Box 190, Groningen, Holland. Contacts must be 'subscribed' to December 31, 1945.

OE1HJ under date of 26 Dec., '58, bemoans the non receipt of QSLs from VKs 2FU, 2ZR, 4CG, 4ZB and 5NO.

Anyone who contacted the Chilean DX-pedition to the Chilean Juan Fernandez Islands in January last should send QSLs to R.C.C.H., Box 761, Santiago, Chile.

K2BBB, Geo. Hamilton, writes notifying that the station was closed down in November last consequent on his return to the U.S.A. States that any station who has not received a card should apply via the WA Bureau. George hopes to have the call sign K4AE by now.

According to BEB55, MP41H is located on the island of 150 miles of Bahrain. The owner, Andy Goodwin, says Das Island is one of the many links to the Trucial Oman States and efforts are being made in the right quarter to have Das Island recognised as a separate country. (Where will this new country racket end?) Probably with the issue of a "Tly Speck DCCC" Award. Cards for Andy should be sent to Box 330, Bahrain Island, Persian Gulf.

Erik Friedmann, operator of 4X4WF, is a very thorough and experienced DXer. He has details on his QSL card. Early post-war Erik operated SP6WF. Erik, who is a Doctor of Medicine, enjoys, besides his DXing, fox hunting and his 25 watt rig on 7 and 14 Mc. c.w. is heard near and far. QTH is Box 200, Tiberias, Israel.

Under more notes are received, these notes will appear at quarterly intervals, as writer now too busy to do much "snootin'" and "mail reading".

—Ray Jones, VK3RJ, Manager.

NEW SOUTH WALES

TENTH ANNUAL URUNGA CONVENTION

The tenth Annual Urunga Convention was conducted during East week-end and was attended by 36 licensed Amateurs, 9 Associates and numerous XYLs and harmonics made up as follows:

VKs 2B2, 2EO, 2ER and XYL 3FH and family, and 2XG and 2XJ and family, 2XK and 2FY, 2RT, and XYL 2SF, 2UG, 2WQ, 2XO and XYL 2XS, 2XT, 2ZX and family, 2ABU and family, 2ACU and XYL 2ADN and XYL 2AGS, 2AHU and 2AHJ and family, 2AIU and XYL 2ASZ and XYL 2AUM, AWG, 2AW, 2BXN, 2CQZ, 2ZEL, 2ZJC, 2ZMO, 3ALJ and XYL 24R and 4CG and family, 2BZ, 2XU, XYL Barry Cartwright, Norm Dash, E. Leszinsky, Ken Mattie, Snow McCawley, Harry Miller and XYL, Norm Moody and XYL and Fred Reid.

As you can see, Urunga has not only maintained its attendance figures over the last few years, but has increased in popularity. The fellowship and fun to be enjoyed at this gathering cannot be surpassed and many have in fact already reserved their accommodation for 1960 so that they may once again renew friendships, hold post mortems on all subjects and thoroughly enjoy themselves in pleasant surroundings.

Organisation this year was in the hands of Rod Pike, 2ACU, and a committee which included Crief 2XO (the originator of the convention) and congratulations go to them for a successful function. Particular mention must be made of their XYLs, Betty and Jean, who did so much to make the occasion a success.

The various competitions resulted as follows: (1) 40 metre tx hunt: 1st 2FH and Assoc. Norm Dash in conjunction; 2nd, 2FM; (2) 144 Mc. tx hunt: 1st, 2AHS and 2nd, 2BZ; (3) Urunga Scramble: 1st, 2PM; 2nd, 2AHH; (4) Longest distance travelled to Convention: 3ALQ; (5) Lucky registration number: 4GG.

The 40 m tx hunt was a new innovation for Urunga and it provided a new experience even though it was accompanied by much laughter and good fun. The boys used last minute manufactured loops which were rendered useless when heavy rain fell and shortly after the contest ended. The successful competitors "talked" their way in on 40 m whips with the aid of clues given from the hidden tx crew.

The 144 Mc. tx hunt was much easier than in past years, mainly because the wet weather precluded the use of some forest roads. Nevertheless, some fine spots in the range were explored and the boys had a lot of fun, including 2ASX who finally found the tx by emerging from between two doors, one being labelled "gent's" and the other "ladies". By way of explanation the tx was hidden on a hill which provided a magnificent panoramic view of Bellingen and the Bellingen Valley. The long drive to the tx was a rather unenjoyable and perishable dump which among other things

contained two discarded bicycles, bearing the aforementioned name plates. Unlike the rest of us who drove to the site, Bob had to be different and deserted his car, climbed the hill on the back of his bicycle and emerged from between the doors! Alan 2FH found the tx even though he was using a walkie talkie with a dipole antenna! A good effort Alan.

Crief and Jean Retake again entertained us in their "Dad-Me" bar. The evening Jack Gordon screened several films including one of his own taken during his recent visit to U.S.A. and featuring the "feast" on bananas (courtesy 2AWG), biscuits and cheese, hot dogs and of course an 809 was left with no emission whatsoever. The Convention concluded on the Sunday night with a concert presented by Jack Gerard and a spirited auction conducted by Alan 2FH. The evening was a very successful supper provided by the Urunga Progress Association.

Our thanks for a successful convention are due to many people, some of whom have already been mentioned, and some who are unknown to your scribe, such as the person who donated the money for the 40 m tx hunt over £12 for the I.T.U. Fund. We thank you all for a job well done.

Many thanks can be enjoyed when one thinks back over the convention. For instance, a passing pee-wit successfully dove bombed 2ZX and left a dash of white on his right eye. Another fellow, who was it too! The stories that were told and experiences related will never be forgotten. If you want to join in the fun, plan now for 1960. —Noel 2AHH.

HUNTER BRANCH

Another Branch year is behind us—quite successful in lots of ways, but larger attendances at meetings would be more pleasing. Your Liaison and Secretary, Stuart 2ZDF, was present after thanking the Divisional President for his attendance. Meetings were held every second Friday of the month with the exception of the 1st of June. The following were thanked: the College Warden for meeting facilities, Gordon Sutherland acting c.w. and c.w. and Stuart 2ZDF, who was thanked the outgoing committee on behalf of himself and his Council.

The following were elected: President, Lionel 2CNS; Secretary, Stuart 2ZDF; Treasurer, Sec., Gordon Sutherland; Treasurer, Bill 2XT; Social Treas., Bob Bailey; Liaison Officer, Stuart 2ZDF; Correspondent, Stuart 2ZDF.

Speakers, both local and guest, provided a wide range of interest during the year: Hans 2AOU, rx selectivity; Bill 2ZK, atomic clocks; Lionel 2CNS, a.s.a.b.; Stuart 2ZDF, Commands; Barry 2ZAG, valves and transistors; Bob 2OA, v.h.f.; Joe 2JR, this and that; Maurice 2FW, mobile; and Wal 2AXH, on tape describing slides of N.Z. It is hoped that a similar year will be presented to you. Pierce kept his oratorical prowess within reasonable limits affording the gathering an opportunity to voice their views on the agenda of the Federal Convention.

Those present included VKs 2AQF, 2KT, 2CS, 2DZ, 2EJ, 2ER, 2FJ, 2GJ, 2HJ, 2JF, 2KAF, 2ZL, 2AOR, 2CN, 2ANA, 2QB, 2AQR, and Associates. Participants, McLachlan, Hall, Bailey, Jackson, Jayne, Ford, Slobs, Hamilton and Duff. The biggest haul was from 2FP. Who was it that talked into the dial of his rx instead of his mike? Congrats to Bill 2ZL for his 40 m tx hunt and c.w. and c.w. on Panama on 7 megs. Heard 2XT working 2FP on 40—1 repeat, 40—good heavens. Mention must be made of the top up Max Hui on I.T.U. Fund—the oration would squeeze blood out of a stone. Those die-hards who haven't yet paid up must have turned their sets off.

Still good to see the pupils of Rod 2ASJ during 2AAX's broadcast. What a little slings some chaps go to in order to get their name in my notes. Your Secretary, Gordon, had an argument with me over the 40 m tx hunt and lost. However, Gordon came out of it with a few stitches where it won't show when he wears long trousers and a new dog tag quite like the one on 2FP and XYL 2BZ, 2CX, XYL 2AHA, 2SF and 2ZMO were visitors to Urunga Convention over Easter and despite the rain and cold weather. The boys had a lot of fun, experienced from same. Bill 2XT was third in the 7 meg scramble, Harold 2AHA third in 144 Mc. hunt, whilst the boys had a lot of fun. The evening, Duff 3ALQ was there for his seventh consecutive year, whilst that Iron-horse, 4CG, got a banana for the lucky prize. Bill 2ZL was a realish and thorough with some really good slides of N.Z. whilst

CONTEST CALENDAR

Compiled by W.I.A. Fed. Contest Com.

★

OZ C.C.C.:

Date: May 3-4.
All Bands.

U.S.R. WORLD CONTEST:

Dates: 2100 GMT 9th May to 0900 GMT 10th May, 1959.

Rules: Elsewhere this issue.

HELVETIA 22:

Date: Third week-end of May.

REMEMB. DAY CONTEST, 1959:

Dates: Saturday, 15th August, to Sunday, 16th August, 1959.
Duration: 1800 hrs. A.S.T. to 1759 hrs. C.W.
As for 1958 (Watch "A.R." June 1959).

VK-ZL DX CONTEST, 1959:

Dates: Phone—1000 GMT, Saturday, 2nd Oct.—1000 GMT, 4th Oct.
C.W.—10th Oct. to 11th Oct., 1959.
Rules: Overseas as for 1957.
VK-ZL—Bonus value altered (Watch "A.R." August 1959).

"CQ" WORLD-WIDE:

Dates: Phone—Last week-end Oct. '59.
CW—Last week-end Nov. '59.

Jack 2ADN, of Cooffs Harbour, flashed his 31 mills, on the screen.

Hearing that ZZI, has been beaten by all comers at Millers, Harry 2A paid him one of his rare visits and came away well satisfied with himself. However, Bill rehabilitated himself last night in the house of Hall by beating the host, but I bet you are not game to ask how Bill beat Bill.

This month's meeting will be held as usual at 8 p.m. at Tighes Hill Tech. The host, while Bill Hall will challenge all comers at the Oriental, Bull St., on 27th. We will be there, will you?

— . . . —

VICTORIA

From all accounts the Federal Convention, held at Easter in Melbourne, was an outstanding success. Most of the items on the agenda were dealt with in reasonable time and with a minimum of argument. It would appear that the bigger things such as the briefing of John Moyle for the I.T.U. Conference had dwarfed all the usual contentious items into insignificance. This suggests well for our support of John in this exacting task which he has undertaken on our behalf and all that now remains is for the bulk of the members to support their representative's lead in this regard by carrying out the suggestions put forth by our Federal President in this matter. Our motto should be "do it now" before it's too late.

This year's Convention was the first to be held in the new rooms of the VKI Division and for this reason must be known in the annals of W.I.A. history. Acting as host State to the Convention is quite a big job and congratulations are due to the organisers of this event.

As is usual, the April meeting night just past was the annual general meeting, followed by an ordinary meeting. Unfortunately, it received much the same treatment as the March meeting in that very few turned up, about 12 to be exact. As a result, the meeting seemed to lack its usual spirit and there was only a spasmodic burst here and there of unusual quietness. We sure seem to be degenerating into a body of couldn't-care-lessers. It beats me how our office-bearers bother to carry on considering the support they get.

One of the main jobs of the night was to obtain nominations for President of the Division. Fred has completed two years in this office and has declined nomination for a third term so it was, as the saying goes, for ye young and old. After the smoke and fire had died down, we were no further forward and it was left in the hands of Council.

Fred's work over the past two years as President is known to most of us and there is no denying that he has done a particularly good job of work in the true tradition of the post. He has always handled our meetings with true decorum and has never failed to produce the best in the way of lectures. These are the things the average member sees and can appreciate, but Fred has not stopped there. He has done an equally commendable job behind the scenes where few of us have seen him in action. His most exacting task was arranging the move of SWI to the new rooms. Under Fred's guidance and the assistance of those who rallied round him the move was completed with hardly a hitch. This was no mean task and involved him in an enormous amount of work and time. A vote of thanks was passed to Fred by the meeting for this work.

Our new Council takes office very shortly also, and nine nominations for this job have been received. Last year ten was the number, so there will probably have to be a whip around to fill the quota. The final position with regard to Council and our new President will no doubt be announced next month.

The Editor of "A.R." read the Publication Committee's annual report which brought to light some interesting facts on the support by this committee in producing our magazine. A plea was made once again for more assistance on this committee and for more technical articles to enable this important work to be carried on in the proper manner. In some respects our magazine is akin to our frequencies, in that it keeps our organization alive, so in this, if in nothing else, we must lend our active support to the utmost of our ability.

Owing to a delay in the preparation of the Treasurer's report, the meeting was adjourned at this juncture and will be continued at a subsequent meeting.

The general meeting which followed brought forth various reports and it was noted that

VK7 has taken over the duties of Contest Committee from VK5. This latter State has been carrying out this work for quite some considerable time. All reports indicate that visits to places of interest, field days, fox hunts, etc. hunts and the like are still taking place, so lend your support where possible. The silent service, our bureaux, are also still very much on the ball in the capable hands of Noel Stork and Ivor Stafford, and last but not least our Council is very active if attendances are any indication. The member situation is also holding its own with a surplus of joinings over resignations and new members admitted at this meeting were R. B. Wallace (SUW), R. G. Davey (3ZEX) and J. D. Green (s.w.l.).

A busy visitor to Melbourne from the Apple Isle is Keith TRX. He is visiting as many shacks as possible. When last seen he was swapping fishing stories with George 3AHN.

Sorry chaps, the title of the next lecture was not known at the time of writing, so listen to the Sunday a.m. broadcasts for details.

NORTH EASTERN ZONE

Stan Ferguson, of Tongala, not doing much hamming these days. More interested in t.v. I think. Peter 3APF building new 2 mx beam

and having quite a convention on Saturday afternoons with Ham visitors. 3KR working DX with a quad. John 3ACW has built a new shack out back and is removing from the house. We congratulate John and XYI, on the arrival of another harmonic. Sid 3CI is tearing down his antenna farm for re-erection at another QTH about half a mile away. 3AGG's XYI was away at Easter, so Bruce migrated a few streets to Les 3ALE, who is moving to VK4 land in May.

From 3AUL we have the following: The zone hook-up on 80 mx is building up in numbers, but no Shepp, boys heard (shift workers). Bill 3ADY has an 80 mx dipole in the air again and putting out a really fine signal. Vern 3AXW also a regular on 80 mx as is N.E. Councilor—Col SWQ. George 3ADZ back again after a lengthy absence. SUW, of Bandianna, has been welcomed to the hook-up and is also engaged in modifying an AT21. 3AUL has at last broken the sound barrier on 20 mx with KX, KH and a VK9 on phone and Wa on c.w. It is learned with regret that Jim 3JK is migrating to Mount Eliza and so from this zone we wish you the best of luck. Jim, in your new QTH and happy swapping.

From 3KR Benalla. (This I must comment on. Magazine arrived Benalla, Tuesday, letter re-

NOW AVAILABLE

IRONCORE TRANSFORMERS

FOR

ORYX 6 & 12 VOLT SOLDERING IRONS

THESE ARE A FURTHER ADDITION TO OUR RANGE.

WRITE FOR CATALOGUE.

★

IRONCORE TRANSFORMERS PTY. LTD.

HIGSON LANE, MELBOURNE, C.1

Phone: MF 4771

Duralumin Aluminium Alloy Tubing for Radio Aerials

★ LIGHT ★ STRONG ★ NON-CORROSIVE

STOCKS NOW AVAILABLE FOR IMMEDIATE DELIVERY

ALL DIAMETERS— $\frac{1}{8}$ " TO 3"

RECOMMENDED FOR TELEVISION AND BEAM AERIALS

Price List on Request

STOCKISTS OF SHEETS—ALL SIZES AND GAUGES

GUNNERSSEN ALLEN METALS

PTY. LTD.

88-92 YARRA BANK ROAD, SOUTH MELBOURNE

Phone: MX 4624 (9 lines)

Telegrams: "Metals," Melbourne.

ceived on Wednesday. Some pin I used to break the silence barrier! However, Ken reports that the 311V building barrier is not so good. The junior ops. still have a few sleep apkes on bush fire nets every Sunday and work about umpteen hours a week.

3AHF still working 80, 40 and 20 with a modified ATX and C345 rx. In the past year from annual hobs, to find a tv set installed next door. Wacko, t.v. and holiday smites disappear. Bill 3JP on vacation in VKS land, so poor reception. The 311V building barrier is still a problem. The 311V has his worries since 220 k.v.a. lines have been switched on 200 yards from his back door. Why I you use the pylons for a rotary beam, Jack. David, the junior op, at this QTH has constructed a tv set which really works and gets good results using a rhombic antenna.

In closing, Ken exhorts me to use all the hands I can get. I have a 311V and 311V1 exerts me to get on 6 mhz any time, Arthur 3A1U wants me to write for the Sunday morning broadcast (I think) and the XYL wants . . . etc., etc. Haven't the space left!

WESTERN ZONE

Keith 3AKP, of Stawell, has recently completed building his own l.v. set with excellent results. He is now working on his higher powered rig, so expect to hear Keith in the near future. Chas. ex-31B, is on the air from the Gilbert Islands with call sign of VR1B. He is working 40, on the 14 Mc. band and expects to be able to work phone as well at a later date. Reg 3ZFD, of Horsham, is active on the 40 and 20 bands and has been working with the local boys.

QUEENSLAND

MARYBOROUGH

4AI came up on 20 mhz for the first activity in months, using a 311V. He is getting a 3 el. 15 mhz beam going. 4DJ has a new type of antenna, a folded quad, due to a support breaking. How's the field pattern, Graham! He is working on 40 and 20 bands and has been working with the local boys.

4GI checked up on his rx a year ago and now reports having switched on his v.f.o. No doubt the final is due to go in 1960, and a QSO should result in 1961. Can't you improve on the 311V and 311V1? He is getting a 3 el. 15 mhz by 4CB (VP3) and 4BG (PC and PZ). Arch 4CB has been heard lately on four bands at the QTH at the moment and is working on the 40 and 20 bands. 4BG lost an 866 jn. rectifier. Wondered why only S2 sig. going out on 40 mhz and found the feed line shorted out by Mum's indoor clothes line. Ron gave a talk on Amateur Radio at a meeting of the local Engineers Institute and didn't forget to stress the value of Ham work to the community. At the end of the talk invited all present to his shack. A dozen engineers turned up and had a QSO with two Darwin stations.

TOWNSVILLE

The Federal Executive will be congratulated on the fine article in April issue of A.R. It certainly contains some juicy points for discussion at the various branch meetings. I am not just sufficient to say "Oh I have read it" and most likely missed the salient points. Take Max 3ZS' stirring appeal in his article to use our bands and to ensure the findings of the Radio Inspectors and others in monitoring the bands and then cast your mind back to the time R.D. Condon when you struggled through the QRM to get that coveted number to help your State along to win the trophy.

Again he mentions we have 3,500 holders of licences; think, and think deeply, about some of the call signs. Have you or anyone else ever heard these call signs? I have never seen a report no station to inspect. Why? Because there are some license holders who automatically get a class of licence for one year because they hold higher qualifications than the A.O.C.P. Others who gained the coveted A.O.C.P. came on the air for a couple of years and then they gave up the licence and gave away and dismantled the station, but still pay the yearly fee for their licence. How many of the licence holders are like this?

The other article by ZLIAAX will certainly cause some heated arguments. Don't blame my carrier, it must be your receiver? I hope this article will clear up doubts in my mind as to . . .

The last meeting of the local radio club was again well attended, 16 being present. As Alan

4PS was absent, the chair was taken by John 4DD. Two new members were enrolled, namely, Mike 4OM and Assoc. R. 4Cough. It was decided that the new Radio Handbook, 15th edition, be purchased and placed in the library for use of members; certainly the club will soon possess a very fine technical library. The Publicity Officer, Frank 4PF, outlined his ideas for bringing before the public the aim of the Radio Club and appealed for the placing of the different Amateur Stations in the district and he had obtained a good hearing with the local daily paper. The other officers of the club gave a report on their activities during the month. Keep this up and we can hold the enthusiasm of the members and they will keep on attending. It only requires a little slackness on the part of the various officers and the meetings will soon become dull and boring and attendance will drop off.

The speaker for the evening was Bob 4MF, who gave a very interesting lecture on the electrical system of the motor car, bringing along the various switches, diagrams, etc., along with the present-day car. He also brought along a board wired up with a kitset of flashing indicators which will be used on the well known Australian car. I might say this created great interest and many questions, which he soon answered. Unfortunately, the board was kept under close security and was unable to be mislaid.

Bob 4MF was heard testing his new cubical quad and given assistance by 4PF and 4EJ. Will it beat the old beam? Eddie 4WH. Wal 4RU still not on the air since the 311V about their re-building. I often wonder when I will hear the following local call signs on the band: 4AE, 4B, 4HF, 4HV, 4JH, 4QZ, 4RI, 4TQ, 4WT and 4XK.

4BZL 4ZW sent along the following: A new Ham has arrived on the Tableland—4ZBJ, ex-Brisbane, and I hope he introduces new blood into the northern boys. (The Tville gang will be glad to listen for you John.) Alex 4MA apparently lost in the big ditch they dug near his QTH as he has not been heard. Harry 4HK heard asking details of how to apply for a licence to 40 people. Louie out you city slickers, and nail down your gear. Harry 4OH, the milko from Mossman, too busy to come on the 40 band (Remember, the more you use, the more tax you pay!). Take time out to rag chew with the gang. Arthur 4SM now gone high power, purchasing an 818, while Ted 4MF spent his surplus on fishing gear. Uley 4AX broke the long silence and spoke to 4ZB; got some more dust out of the rig and come on more often. Claude 4ZY and Gail 4XN rag chew all night on the old days. Visitors welcome to break in. Bob 4TK recently spoke of the miss in his car and a rear intercomer wanted to break in the XYL. Gail 4XN said Bob also disappointed about lack of disposal gear being made in Queensland. Harry 4ZP on long service leave and spends his time monitoring the bands.

SOUTH AUSTRALIA

Following the elections last month, the following officers were appointed for this year: President, B. W. Austin (5CA); Vice-Presidents, L. F. Brice (5OK), E. C. Daw (5EF); Treasurer, C. Knox (5ZSV); Secretary, J. C. Haseldine (5JC); Publicity Officer, W. W. Parsons (5PS); Minute Secretary, L. F. Brice (5OK); Sub-Editors, E. C. Daw (5EF); Technical Editor, E. A. Barber (5MD); Membership Organiser, L. Duncan (5AXI); Operator of 5W1, G. M. Bowen (5XU); Rep. on Moon Watch, 5XU; QSL Officer, G. Knox (5ZSV); Communications Officer, Joe Kilgriff (5JT); Associates' Rep., L. Duncan (5AXI); T.V. Committee: R. Tuck (5BT), B. Edger (5D), D. Tibbcock (5GL), John Bulling (5KX); W.I.C.E.N. Committee: J. Hazeldeine (5JC), J. Bulling (5KX), B. Austin (5CA), R. Richards (5DO), E. A. Barber (5MD); Disposals Committee: E. A. Barber (5MD); J. Vivian (5FO), C. Appleby (5ZBV); Programme Com.: R. Roper (5PU), N. White (5ZAW), J. L. Watts (5OM).

So there you have it fellows, any problems you may have, find the committee or person they sit, and put them up. That's what the Council and Committees are for, so use them.

Apart from some changes in personnel you will note that this Division no longer runs the Contest Committee, having served its term in that capacity, but promises to be around to help on occasions.

We were all delighted at the last meeting to see and hear of you who attended for the time since his illness. Joe looked fairly well, and advised starting work again, take it easy Joe and continue the good progress.

The "Tender" night drew its usual big crowd and saw an almost record volume of gear change hands under the tender care of Pansy 5PS and Norm Colman, some quite good items were included and some bargains obtained.

After the meeting closed, Doc 5MD was taken home by a certain country member, who this time, safely negotiated the complicated West Terrace turn and arrived at "the" place without any motor cycle escort. How we improve. From a 311V and 311V1, we have a 311V1, and it appears that the new shack is finished, but not yet occupied, Burnie's shack being the centre for the time being. Ron 4JF has left up there and has left up there, Elizabeth, thus adding to that happy gang. Last heard of he was trying to work out multiple connections, etc. to be able to join the Gawler v.h.f. net. Welcome to the South, Ron.

Tubby 5NO putting in some good work recently in relaying W.I.C.E.N. tests. On one occasion he had some bother with the modulator, so fixed up some audio on the keying tube screens. Not stuck for ideas and just won't be off the air for any minor fault like that. No Sir!

VACUUM MOUNTED CRYSTALS

for general communication frequencies in the range 3-14 Mc. Higher frequencies can be supplied.

THE FOLLOWING FISHING-CRAFT FREQUENCIES ARE AVAILABLE IN FT243 HOLDERS, 6280, 4095, 4535, 2760, 2524.

5500 Kc. T.V. Sweep Generator Crystals, 123/16.

ALSO AMATEUR TYPE CRYSTALS—3.5 AND 7 Mc. BAND.

Commercial—0.02% £3/12/6, 0.01% £3/15/6, plus 12½ Sales Tax.

Amateur—from £3 each, plus 12½ Sales Tax.

Regrinds £1/10/-.

CRYSTALS FOR TAXI AND BUSH FIRE SETS ALSO AVAILABLE.

We would be happy to advise and quote you as to the most suitable crystal for your particular application, either in the pressure or vacuum type holder.

New Zealand Representatives: Messrs. Carrel & Carrel, Box 2102, Auckland.

BRIGHT STAR RADIO

46 Eastgate Street, Oakleigh, S.E.12, Vic. Phone: 57-6387

Brian SEM from Ardrossan had a peculiar complaint recently, "no background noise at all," thought his rx was on the blink, things being so quiet. There is an idea Les, migrate to A.M. band, the 5A-X still plagued with high noise in the 50 cycle lines.

Heard on s.b.s. recently: Reg 5AB, George SGD, Jack 50M and with Reg 5B1A and 50P 50B. The 50B, who the cult is grateful this QTH has used it for quite a while and kidding the nearest Ham into it too, so look out, you say.

John Hemphill, 5BJ (formerly 5BJ) now back in VKJ and looking for contacts on the bands with his former cohorts. Also interested in forming a t.v. section. His working QTH near Pansy, so watch out my portly friend.

Another transfer to t.v. in Adelaide is Col GSO, this leaves Mount Gambier for warmer climes.

Had a note from John 5ZAZ recently and he points out a new form of interference, but this time it's known as B.L. 14, refrigerated interference, his fridge busts up c.w. and s.b. reception on a B39 rx. His power source is a 1.5 k.v.a. alternator with voltage regulation capable of 2v. variation from full to no load, yet when tuned to c.w. or s.b. without the fridge on all is well, but as soon as the ice chest is on, the interference is there. It is being said that a phase shift takes place when the motor comes on. There is an idea for a phase shift in the 50 cycle line, please note.

Howard 5XA reports re Hughie W4BSB, who is an associate member of this Division and recently granted a grey beard certificate. Hughie was first licensed in 1921, and received the call sign of 3FX until 1931 when he changed to W3BSB, and became W4BSB after W.W.2 ended. He was a very well known and respected Ham active all that time and at present wants an 80 mc contact on c.w. from Asia for W.A.C. Radio sign. branch of the U.S.N. kept him busy during war years.

In course of a "walkabout" recently went past Austin 5WO's QTH and saw the wreck of his car, the better to see the wreckage and a complete write off. Austin is replacing same with a new 65 ft. job with all mod. cons. ex. a certain northern airfield shoddy work shown pictures. Some pictures of that and the shack for "A.R." sometime, please.

Had a visit from Gordon 5XU, Grammie 5XV, George 5XW, and Ken 5XZ. The 5XZ is recently, the highlight of which was Gordon's 5XV's remark whilst we were in the workshop nagging about an antenna. The 5XZ said, "She popped in in all sweetness and smiles to say, 'Just popped in to let you boys know that we are not waiting on you!'"

Learned during the visit that George and Gordon are working on the "third method" of s.b.s., so there is some more interest coming up. The 5XZ to the 5XU, "You can't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway."

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

Doc 5MD continues to put on a slow more session each Sunday night at 9 on 80 mc for benefit of those learning or wishing to keep the 80 mc. The 5MD is a very good teacher, you couldn't place him using anything other, and as a preliminary had a try out by putting his carrier on, unmodulated, with me on the same frequency on upper sideband, so that my tx modulated his carrier. Seemed to work, too, and SWI read it as a.m. We had to be the first to try anyway.

At the meeting of the Southern Zone held on 1st April, we enjoyed a very fine lecture delivered by Joe TBJ, the subject being Oscillators. The address was taped with the aid of Barney TZAK, and Len TBJ preparing a strip of the diagrams, so that the other zones can receive the benefit of this fine lecture. We, in the south, will be very interested to learn how the lecture pans out in the other zones. We were also pleased to meet Trevor ZSKDK at this meeting. Trevor should soon have a 500 mc. licence.

Considerable interest has been shown in the two playings of the tape by our Federal President, dealing with the subject of the I.T.U. Conference. Such a tape is a most useful one to improve the solidarity of Amateurs, and I hope that Federal Executive will more often resort to the use of tapes to keep us alive to current matters in general.

Keith TRX is spending three weeks in VK3 as from 5th April. Joe TBJ will be out of the State for three months from some time in May. Our congratulations are due to Snov 7CH for having obtained cards in confirmation of his having worked all zones. We are anxiously awaiting the chance of seeing his Award Certificate. Peter 5PD, our Immediate Past President, expects to QSY permanently to VK4 in the near future. Our best wishes go to Peter and his wife, who are moving to a tx on the 80 Mc. band and is looking for contacts. Our Patron, Len TBJ, took part in the round up of 5th April, let us hear from you more often Len. It is alleged that Bill TBJ heard to utter several words on the 40 mc band several weeks ago. How about a QSO, Bill? I would be glad to hear from you, he tells me he has had his licence 52 years.

Jack TJB tells me that he worked 478 Ws during one week-end of the recent Contest, mainly on the 40 Mc. band; a very fine effort. Jack. Ted TBJ attended the recent Federal Convention over Easter as our delegate. Having talked to him since his return, I have not the slightest doubt that he has had a most interesting and interesting account of discussions at that Convention; good work. Ted. Terry T7J continues to work on the 40 mc band, and has the kitten power of 8 watts. I continue to marvel at the 100 per cent. modulation put out by Max TMX; I don't know how you do it, but it is a most interesting feat. Ken TKA is to be commended for the way in which he re-broadcast the tape of the Federal Convention, a most excellent quality Ken. Best 79 for this month, TZZ.

NORTH WESTERN ZONE

Well chaps here we are once again. I have just returned from the 2nd March meeting which was held at the usual QTH. It was the best attended meeting since I have been associated with the zone, there being in all 29 bands present, and the 50 mc. even better at the next one. Next meeting will be the usual lecture night and I believe there's plenty of interesting and instructive material arranged for presentation, so don't miss out, especially you associates.

In addition, weekly night classes of instruction are being arranged here in Uiverne and the organizers hope to have a special concert to attempt the October exam. and pass, too, but it will have to be a concerted effort by all parties.

A tx hunt was held on 22nd March which was fairly well attended, but many more contestants are desired. Harold TMZ and George TXL were the winners, and the 50 mc. was the morning run; yours truly getting badly lost. A good picnic lunch was enjoyed by all whilst the fox, Max TMX, sneaked off and hid one more. The afternoon hiding place proved to be about the windiest place anyone could find, but fun was had, also afternoon tea and a good chinwag.

It has been decided to hold a zone hook-up at 2000 hours each Tuesday on 40 mc, but should it prove unsuitable, 80 mc will be utilized. We sincerely hope to see you all outside the zone will not crowd us too closely on the band. We feel it will be a good way for members to get to know each other and via another medium. So don't forget, 2000 hours each Tuesday.

A collection was taken up among those present and the sum of £4/10/0 will be forwarded on to swell the I.T.U. Fund. There is still room for more donations, so anyone who reads this please do your utmost to send the funds necessary to send our worthy representative, John TJU, to the Conference.

Another tx is in the making for the near future, but more of that at a later date. Our next combined zone meeting (lecture night) will be held on Tuesday evening, May 14th. It will be a most interesting and useful general meeting on June 2.

HAMADS

1/- per line, minimum 3/-.
Advertisements under this heading will only be accepted from Institute Members who desire to dispose of equipment which is their own personal property. Copy must be received by the 10th of the month, and remittance must accompany advertisement. Calculation of cost is based on an average of six words a line. Dealers' advertisements not accepted in this column.

FOR SALE: AR7 Receiver, factory modified by Kingsley for Ham use. Complete with all coils, a.c. d.c. power supply, spkr, rack & circuit, £255 f.o.r. Heathkit Q Multiplier and Manual, £2. R. Rodda, Box 254, Warracknabeal, Vic.

SALE: Rola 5" Speakers with transformer, unused, 25/- each. Variety crystals, 10/- each. Send for list. Roth Jones, 131 Queen St., Melbourne, Vic.

SELL: Eddystone 680X 15-tube Communications Receiver. Built-in product detector for s.b.s., one owner, guaranteed first class order. £195. R. H. Cunningham, 384 Glenferrie Road, Malvern, Vic.

SELL: Oregon Tower with three beams, worked 267 countries. Also Hallicrafters SX28 Receiver, beautiful order. Best offers to R. Baxter, 76 Newman Ave., Camp Hill, Brisbane, Qld.

SELLING, Bargain Prices to clear, due changed address: Pair 813 tubes, new (not Disposal); Multimetre, Palec, M30; Multimetre, Sanwa 300C, 20K/ohms/volt (new); Monimatch Mk. II, 2 units, matching device and 0-100 uA. in desk mount; Simplex Auto bug key; Monitor, phone/c.w. all band, built-in spkr.; Filter Condenser 45 pF, 1800V, in 12" x 4" x 1/2" c.s.s.; Filter Condensers, Ducon, four, each 4 pF, 1000V.v.; Gelsco V.i.o. c/w new tubes, 6C5 metal, 6AU6, 6V6; Gelsco Pi-Net; 50-watt Mod. Tran. and Driver Tran. for 815 c/w 3 new 815s; Special "A & R" H.t. Tran. 250 mA., contin. taps from 400v on bakelite panel for w/plugs; 425v-0-425v, 300 mA.; 450v-0-450v, 250 mA. with fil. wndngs; 10v. 6A. fil. tran.; other Trans., various voltages; Chokes, various; 9 Mc. xtal for s.b.s. exciter; Meter 0-20 A.; Moniscopes, uses 5BP1 TXL, 500V, 1/2" x 1/2" x 1/2" c.s.s.; Sol. Iron, 80W, 1/2" x 1/2" x 1/2" c.s.s.; Sol. Iron c/w Tran. (CCQ); 1 x Scope Iron, new cond.; 1 x Engineer's Vyce, Dawn, 3 1/2" offset, cast iron; 2 x Cabinets, accessory, 18-drawer; Co-ax. Amphenol Connectors, Socket Punches, etc., 6 x 16 ft. Dural Tube, new 1/2" x 16g.; 3 x 12 ft. ditto, 1/2" x 16g.; 12 ft. ditto, 2". Various mA. and r.f. Meters, Tubes. All first class gear. No junk. Write for list: J. K. Herd, "Kinta", 6 Balcombe St., Mornington, Vic.

WANTED: Circuit and Handbook for No. 19 A.W.A. Transceiver No. J8786. Buy or borrow. J. White, Yates Road, Menai, N.S.W.

WANTED: Handbook for No. 122 Transceiver. Price, etc., to G. Bills-Thompson, 64 Fairmount Rd., Hawthorn East, Vic. WB 2997.

Homecrafts

EVERYTHING IN RADIO AND TELEVISION

COLLARO 4-SPEED HI-FI TRANSCRIPTION TURN-TABLE, £31/2/6

CONQUEST — the new Collaro 4-Speed Automatic Record Changer, £18/17/6

COLLARO 4-SPEED RECORD PLAYER £12/10/0

The world's best COLLARO 3-SPEED TAPE DECK with four Hi-Fi Heads ... £32/19/0

SPECIAL

BSR TU-9 6v. DC Turntable £9/10/0
BSR TU-9 230v. AC Turntable £7/10/0

THORENS

RECORD PLAYER CB38N Manual Player, variable speed adjustment, with 12 inch turntable, easy weight adjustment. £25/0/0

RECORD CHANGER CD43N Fully Automatic Changer, including pause control. £35/0/0

SAPPHIRE REPLACEMENT Stylus to suit Collaro, B.S.R., Garrard, velvet action record changers and players. Easy to fit yourself. 15/8 each.

DIAMOND STYLUS for Collaro, B.S.R., Garrard Players and Changers ... £7
For Dual Players and Changers, std. Sapphire, LP Diamond ... £7/11/6

HI-FIDELITY ELECTRO-STATIC TWEETERS available now. Price £2/6

COSSOR V.T.V.M. KIT SETS

£29/14/0 plus 12½% Sales Tax. Complete with instruction books, diagrams and printed circuit.

Brand New

Baker 12 in. Hi-Fi De Luxe Speakers, £14/19/6 Limited number only.

PRONTO SOLDERING GUN HOT IN FIVE SECONDS, £6/10/0

SCOPE SOLDERING IRON SPARES

Carbons	1/-
Bits	10s.
Bakelite Handles	15/4
Flex Leads	8/4
Centre Rod Assemblies	8/4
Steel Barrels	8/4
Ceramic Beads	4d.
Retaining Nuts	1/3
Switch Nuts	1/8
Scope AC/DC 6v. 8-seconds Soldering Iron	£2/10/0
Scope 230v. Transformer	49/7
1/8 in., 5/32 in., 3/16 in. Spins	
Titles	11/6

GLEN RADIO AC/DC INVERTERS

50 watt Inverters: 12, 24, 32, 50, 110, 230v. DC input; 230v. 50 cycles AC output, £32/9/6	
100 watt Inverters: 12, 24, 32, 50, 110, 230v. DC input; 230v. 50 cycles AC output, £38/2/6	
150 watt Inverters: 12, 24, 32, 50, 110, 230v. DC input; 230v. 50 cycles AC output, £37/1/2	

METAL CABINETS Set of 16 Drawers, 48/6

ZEPHYR MATRIX BOARDS

No.		
238B-6	holes wide x 3 in.	1/7 ea.
250B-6	" " " "	6 1/2 "
263B-6	" " " "	12 6/8 "
263B-6	" " " "	36 12/7 "
270B-8	" " " "	6 3/16 "
272B-9	" " " "	12 8/1 "
250-Small Pin, Solder Lugs	2/6	ea.
252-Large Pin, Solder Lugs	2/6	ea.
254-Right Angle Brackets	3/6	ea.
255-Valve Socket, 7-pin	3/11 ea.	
256- " with shield	8/8 "	
257-Valve Socket, 9-pin	4/2 "	
258- " with shield	10/7 "	
261-Rye Bolts	2/-	ea.
262-Riveting Tool	38/11	

High Quality "Brown" Headphones, Type "F" 60/- plus 25 per cent. Tax

Homecrafts Pty. Ltd. for the Finest Stereo and Hi-Fi Record Playing Equipment.

MOTORS

Garrard 301	£46/7/6
Connoisseur	£27/19/6
Orpheus	£29/17/6
Commonwealth Electronic:	
Non-syn. type 12B1	£29/17/6
Synchronous type 12B	£30/0/0
Lenco	£30/0/0

AMPLIFIERS

Pilot, 12 watt	89 Gns.
Aegis 3-4	£37/19/6
Aegis 5-10 & control unit	£48/3/6
Grampian, c/w. pre-amp. unit	£58/10/0
Leak TL12 c/w. Mk. III. pre-amp. unit	£145/13/6
Quad	£113/12/6
Stearns 8 watt Hi-Fi EV4439	£47/15/0
Armstrong A10	£82/19/0

PICK-UPS

Leak c/w. diamond head and transformer	£23/18/4
Ortofon c/w. type A sapphire I.P. head and transformer	£18/0/0
Acces Black Shadow	£17/15/0

STEREO—

Players and Cartridges	
BSR Players HF8/S	£16/10/0
BSR Changers UA8/S	£22/0/0
Dual 1004/S	£37/9/6
Ronette Cartridges	£4/12/6
TC8/S Cartridges	£3/5/6
Acces GPT1 Cartridges (diamond)	£10/17/6
Acces GP73 Cartridges (sapphire)	£5/15/0
Golding G60 Arm less Cart. 150g	£8/10/0
FULL STOCKS of all available Stereo and Monaural Equipment for immediate delivery.	

AMATEURS' BARGAIN CENTRE

TRANSISTORS

All available Types Stocked

PHILIPS

OC16G	39/4	OC70	27/1
OC44	38/10	OC71	27/1
OC45	38/7	OC77	39/6

S.T.C.

TJ1	116/0	2N165	31/0
TS1	27/0	2N308	82/6
TS2	29/8	2N252	55/6
TS3	32/0		

DIODES

OA70	5/3	GEX25	5/8
OA79	6/5	GEX45	12/11
OA81	5/7	GEX54	12/11
OA85	7/1	GEX55	22/7
GEX00	4/11		

Transistor Transformers ROLA

DT7 Output	450/3.5 ohm	15/0
TR8 Output	300/3.5 ohm	18/0
DR4 Driver	3000/1350 ohm	18/0
TR16 Output	375/2.5 ohm	21/0
DR17 Driver	3600/2000 ohm	21/0
TR27 Output	450/15 ohm	22/3
DR27 Driver	4000/2000 ohm	23/5

Latest Model 4-SPEED CHANGER £12 for this month only.

TV ANTENNAE

A complete range from £4/15/0

AVO 10,000 ohm per volt, Pocket Multimeter £9/12/0 plus tax.

ASTOR TV-1 3 in. Oscilloscope. Complete with gratings, etc. £65 plus 12½% Sales Tax.

ROLA SPEAKERS

3C	£1/12/0	8M	£3/3/0
4C	£1/11/6	12-O	£2/8/0
4F	£2/1/0	12-O De Luxe	£6/10/0
4-SC	£1/17/6		
4-SP	£2/10/0		
5C	£1/13/6	12-MX, twin cone,	£9/16/6
5CX	£1/18/0	12-OX, twin cone,	£11/4/0
5F	£2/2/6	12UX Hi-Fi, 15 ohm V.C.	£28/10/6
5-TL	£2/3/6		
6H	£2/5/0		
6M	£2/18/6		
6-9H	£2/15/6		
8-PA	£2/3/0		

290 LONSDALE STREET, MELBOURNE

FB 3711

NOW A GELOSO TRANSMITTER

for Amateur Bands

Model
G222-TR

SIX HF BANDS
80 to 10 METRES



Geloso

- Phone and C.W. operation. ● Band switching.
- Completely self-contained with modulator and power supply.

The Transmitter G222-TR has been designed to answer the particular requirements of Amateur communications which normally demand equipment to be readily adaptable to widely varying operating conditions, locations and other circumstances. This Transmitter has a 6146 tube in the final providing transmitting rating of about 65 watts on phone and 75 watts on c.w.

Outstanding Features are:

- 1 Simplicity and rapidity of changing operating frequencies and bands.
- 2 Variable frequency oscillator (4/104) of high stability, and wideband buffer and doubler circuits.
- 3 Pi-section antenna coupling circuit, providing a wide range of matching antenna impedances, from 40-1000 ohms.
- 4 Modulator equipped with two 807s in class ABl.
- 5 T.v.i. suppression—completely shielded v.f.o. and cabinet; filters on a.c. leads, key leads and meter connections; coaxial type output connector.
- 6 Rapid changing from phone to c.w. operation, by means of a simple switching arrangement.
- 7 Rapid changing from transmission to reception by manipulating a simple "Transmit-Receive" switch which simultaneously switches the antenna connection.
- 8 Ability to zero-beat the transmitting frequency to other station's frequency during reception by merely actuating a simple toggle switch which starts the r.f. oscillator/exciter.
- 9 Ability to check the plate and grid current of the final r.f. amplifier tube as well as measures the modulation depth by means of a built-in percentage modulation measuring instrument.

FREQUENCY COVERAGE:

10 metre band	28.0 - 29.7 Mc.
11 metre band	26.96 - 28.0 Mc.
15 metre band	21.0 - 21.9 Mc.

20 metre band	14.0 - 14.6 Mc.
40 metre band	7.0 - 7.3 Mc.
80 metre band	3.5 - 4.0 Mc.

TUBE LINE-UP:

V.F.O.: 6CL6 and 5763. P.A.: 6146. Modulator: 12AX7, 12AU7, two 807s in class ABl.

AMATEUR NET PRICE: £99/15/0 (plus 12½% Sales Tax). Valves £11/8/8 extra. F.O.R. Melbourne.

AVAILABLE FROM ALL LEADING DISTRIBUTORS

E177

SOLE AUSTRALIAN REPRESENTATIVES

R. H. CUNNINGHAM PTY. LTD. "CUNNIG"

VIC.: 8 BROMHAM PLACE, RICHMOND, JB 1614
Q'LD.: 70 BOWEN STREET, BRISBANE

N.S.W.: 16 ANGAS ST., MEADOWBANK, WY 0316
S.A.: 14 STAMFORD COURT, ADELAIDE. 51-6392